



Ergonomic packing and workplace systems
Cutting systems for packing materials
Custom solutions





















Hüdig + Rocholz

Selection guide

| | BASIC | SYSTEM 1200/ 1600 | SYSTEM 2000 | SYSTEM FLEX | MODUL 5000 |
|---|-------|-------------------------|----------------|----------------|---------------|
| Flexibility is important to us, it should be easy to adapt the table to accommodate future processes. | ●○○○ | ●●○○ | ●●●○ | ●●●● | ●●○○ |
| Ergonomics at the workplace are a key issue for us. | ●○○○ | ●●○○ | ●●●○ | ●●●● | ●●●○ |
| The design and look of the table are crucial aspects for us. | ●○○○ | ●●○○ | ●●○○ | ●●●○ | ●●●● |
| We attach great value to an extensive range of accessories with numerous shelves, PC solutions, etc. | ●○○○ | ●●●○ | ●●●● | ●●●● | ●●○○ |
| Our packing tables are used for shift work or several people share them at any one time. | ○○○○ | ●●○○ | ●●●● | ●●●● | ●●●● |
| Our requirements are extremely complex. In some areas we will definitely require custom solutions. | ○○○○ | ●●○○ | ●●●○ | ●●●● | ●●○○ |
| A packing table that just offers the main functions is all we need. The solution must be inexpensive. | ●●●● | ●●○○ | ○○○○ | ○○○○ | ○○○○ |
| We want to make a quick decision. Do you have complete, pre-configured packing tables? | ●●●○ | ●●●○ | ○○○○ | ○○○○ | ○○○○ |

PRODUCT DIVERSITY

| | | | |
|---|---|---------------|---|
| Your idea is our mission | | Pages 2 - 5 |  |
| What role do ergonomics play at the workplace? | | Pages 6 - 7 |  |
| SYSTEM BASIC The practicable solution | | Pages 8 - 13 |  |
| SYSTEM 1600 Compact packing stations Inexpensive and compact | | Pages 14 - 15 |   |
| SYSTEM 2000 The systematic solution | | Pages 16 - 45 |   |
| SYSTEM FLEX Combine the possibilities |  | Pages 46 - 67 |   |
| MODUL 5000 The fantastic solution | | Pages 68 - 82 |   |
| MODUL 5100 + MODUL 5200 Work standing up or sitting down | | Pages 83 - 85 |   |
| CUTTING SYSTEMS Fast, safe, cost-saving | | Pages 86 - 91 |   |
| ZA 630 CUTTING MACHINE Flexible, cost-saving, modular |  | Pages 92 - 93 |   |
| TRANSPORTING SYSTEMS Perfect addition to your workplace |  | Pages 94 - 95 |   |
| ASSISTANCE AND DOCUMENTATION SYSTEMS |  | Pages 96 - 97 |   |
| Product features | | Page 98 |   |

Your idea is our mission



Dear business partner,

we are delighted to present the current Hüdig + Rocholz catalogue! With this catalogue we would like to bring you up to speed on new developments and improvements we have introduced to our range, especially thanks to your suggestions.

Our SYSTEM FLEX in particular boasts new highlights: adaptable roller track tables as a connection to the conveyor system, an extensive range of hooks for the perforated back panels and new LED workplace lighting that can be attached directly to the shelves. Transporting devices are an entirely new feature, completing our logistics range and guaranteeing a seamless flow of materials and an effective optimisation of your processes.

Our product updates allow you to work even more efficiently and ergonomically: it's no coincidence that our SYSTEM FLEX has been IGR-certified as ergonomic! (As the first packing table worldwide! [as of 07.05.2015])

We also organise our internal procedures with our philosophy of efficiency – we use an ISO 9001:2015 certified management system and progressive, eco-friendly technologies at our production site in Germany, aiding the premium quality you will witness on the following pages. It is our goal to inspire you with our products and our service. We always want to offer you the most efficient solution and therefore also design bespoke systems to fit your individual needs.

Get in touch with us to explore your potential for efficiency!

We look forward to working with you!

Kind regards
Marc Rocholz

Successful teamwork!

Together with your local dealer, we will help you to bring your project to fruition, beginning at the planning phase, through to the realisation, and finishing with the installation at your premises. Benefit from our long-standing experience and expertise.

The workplace plays a determining and often underestimated role when it comes to productivity and optimising processes.

A dedicated department with extensive project experience makes sure, together with the local distributor, that the packing workplaces are not only ideally integrated into the product flow, but also that they satisfy ergonomic standards.



It is possible to lower processing times and increase order picking or packing output by around 20% through effective integration of the workplaces in the product flow, and by taking the downstream and upstream processes into consideration.

Ergonomics at the workplace



Ergonomics at the workplace

Investing in an ergonomically designed workplace will benefit both your employees' health and the efficiency and quality of the work they do. On average, employees are absent from work due to illness on around 12 days every year. If this downtime could be reduced by just 3 days with a sensibly designed workplace where ergonomics are concerned, that would equate to annual cost savings of about €1,000 with each employee. The consequent increase in productivity can very quickly accumulate up to an additional €800-1000 per person and year. Your investment in an ideal packing table can therefore pay for itself in just 1 to 2 years.

Solutions for a healthy workday

New industrial safety regulations prescribe basic safety measures to be observed when using work equipment. We will help you to put these regulations into practice.

§ 6 Grundlegende Schutzmaßnahmen bei der Verwendung von Arbeitsmitteln

(1) Der Arbeitgeber hat dafür zu sorgen, dass die Arbeitsmittel sicher verwendet und dabei die Grundsätze der Ergonomie beachtet werden. Dabei ist Anhang I zu beachten. Die Verwendung der Arbeitsmittel ist so zu gestalten und zu organisieren, dass Belastungen und Fehlbeanspruchungen, die die Gesundheit und die Sicherheit der Beschäftigten gefährden können, vermieden oder, wenn dies nicht möglich ist, auf ein Mindestmaß reduziert werden. [...]

1. die Arbeitsmittel einschließlich ihrer Schnittstelle zum Menschen müssen an die körperlichen Eigenschaften und die Kompetenz der Beschäftigten angepasst sein sowie biomechanische Belastungen vermeiden. Zu berücksichtigen sind hierbei die Arbeitsumgebung, die Lage der Zugriffstellen und des Schwerpunktes des Arbeitsmittels, die erforderliche Körperhaltung, die Körperbewegung, die Entfernung zum Körper, die benötigte persönliche Schutzausrüstung sowie die psychische Belastung der Beschäftigten.

2. die Beschäftigten müssen über einen ausreichenden Bewegungsfreiraum verfügen,


Figs. 1-4 Pneumatic lift table: Do you want to effortlessly lift or lower heavy packaging items and get them into the right gripping or working height? If so, the pneumatic lift table is just what you need, and it's also the ideal solution as an interface to the flow of materials.

Fig. 5 Inclined mounting profiles and sloping shelves support ergonomic movement at the packing station.

Fig. 6 Height adjustment with a folding crank - 710-960 mm: easily adjust the table to the right working height.

Fig. 7 Electrical height adjustment - 710-960 mm: featuring four saved settings and a height display, the table can be variably positioned to suit each employee.

Fig. 8 Workplace mats: These protect the joints and spinal discs, are slip-resistant, and offer sure footing at the workplace. The special structure of the underside of the workplace mats also means that the body stays in motion. This is good for the circulation, prevents fatigue, and reduces strain on one side of the body. Other versions are also available for entire aisles and are, as you would expect, suitable for use with pallet trucks.



We're delighted to present the very first* packing table to have been certified by the IGR as being an ergonomic product. The SYSTEM FLEX creates the perfect conditions at the workplace for working economically, healthily and efficiently.

*As of 07.05.2015

PRACTICABLE



The overhauled SYSTEM BASIC is the inexpensive entry-level system for the packing world. Limited to the main components, SYSTEM BASIC offers a budget table without having to sacrifice stability.

SYSTEM BASIC



Visit
www.huedig-rocholz.de
for more product illustrations.



PRACTICABLE

Reduced to the basic essentials!
The SYSTEM BASIC offers all the main functions at an attractive price.

SYSTEM BASIC


The solution for application areas where every euro counts. This packing table meets the same demanding quality expectations we ourselves place in our products. It has a working height of 850 mm, which can naturally be adjusted as required.

- Sturdy steel table with integrated bearing shells for holding a material roll shaft
- 19 mm worktop
- 100 kg surface load capacity
- Melamine resin-coated worktop
- Galvanised steel shelves
- Cutter with titanium-coated blade
- IT accessories for PC, monitor and keyboard
- Powder-coated steel parts: gentian blue RAL 5010

NEW features:

- Add-on storage rack made of square tubing
- Lockable drawer made of sheet steel
- Undertable cardboard storage rack made of square tubing
- Galvanised steel side table
- Galvanised steel backboard
- BASIC cutter stand for paper, foam and air bubble film
- Spindle for roll material above or underneath the table

   **QUALITY
MADE
IN GERMANY**



All measurements in mm



Our range of accessories offers numerous expandability options. Extra shelving, IT accessories, drawers, containers, as well as mobile cupboard and drawer units. Detailed information can be found on the following pages.

Plan and design
SYSTEM BASIC



SYSTEM BASIC packing and work table

- Sturdy steel construction
- Struts and legs made of square tubing
- Melamine resin-coated 19 mm table top
- Max. surface load 100 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 700001 | 1600 x 800 x 850 |
| 700002 | 2000 x 800 x 850 |



Add-on storage rack

- Square tubing
- Incl. 8 dividers
- Max. surface load 50 kg
- Weight 19 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 700050 | 1420 x 300 x 400 |



Drawer

- Made of sheet steel
- Lockable
- Load capacity 12.5 kg


| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 700120 | 513 x 530 x 160 |



Uprights

- For any combination of table accessories
- 1 set = 2 pcs.
- Height above table 1030 mm, slots every 200 mm

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 700030 | 40 x 40 x 1266 |



Document shelf

- Galvanised sheet steel for attachment to uprights
- Max. surface load 50 kg
- Weight 6 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 700060 | 1425 x 253 x 114 |



Container

- Mobile with 4 castors
- 2 lockable castors
- Load capacity 50 kg
- Sturdy plastic
- Weight 7 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 700110 | 610 x 416 x 495 |



Bottom shelf

- Melamine resin-coated 19 mm sheet
- Max. surface load 50 kg
- Weight 19 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 700100 | 1525 x 650 x 19 |



Storage shelf

- Galvanised sheet steel for attachment to uprights
- Max. surface load 25 kg
- Weight 15 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 700070 | 1430 x 400 x 58 |



Drawer unit

- Sheet steel
- Mobile with 4 castors
- 2 lockable castors
- Four drawers
- Load capacity 35 kg per drawer
- Weight 42 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 3010 | 490 x 600 x 675 |



Cupboard unit

- Sheet steel
- Mobile with 4 castors
- 2 lockable castors
- With 1 drawer and 1 cupboard door
- Load capacity 50 kg
- Weight 32 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 3011 | 490 x 600 x 675 |



Add-on cutter

- For attachment to uprights
- Cutting width 1250 mm
- Incl. shaft
- Galvanised
- Weight 12 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 700090 | 1500 x 175 x 20 |



TFT monitor holder, Vesa 75/100

- Incl. adapter for Vesa 75 and Vesa 100
- Weight 0.5 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 228120 | 200 x 100 x 100 |



Spindle between the uprights

- For mounting material rolls max. Ø 300 mm
- Load capacity 20 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 700140 | 1425 |



Undertable cardboard storage rack

- Square tubing
- Mobile with 4 castors
- 2 lockable castors
- Incl. 8 dividers
- Surface load 50 kg
- Weight 14 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 700080 | 1415 x 300 x 415 |



Backboard

- For attachment to uprights
- Sheet steel
- Galvanised
- Weight 2 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 700040 | 1515 x 4 x 70 |



Cutter stand

- Horizontal
- With blades for foam, air bubble film, etc.
- Cutting width 1250 mm
- Max. roll weight 50 kg
- Max. roll diameter 1000 mm

| Order no. | W x D x H (mm) |
|-----------|-------------------|
| 700130 | 1500 x 920 x 1100 |



Spindle underneath the table (between feet)

- For mounting material rolls max. Ø 750 mm
- Load capacity 100 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 700150 | 1430 |



Side table

- Square tubing
- Sheet steel table top
- Galvanised
- Max. surface load 100 kg
- Weight 20 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 700020 | 600 x 600 x 750 |



PC holder with strap

- For securing the PC underneath the table
- Weight 1 kg

| Order no. | W x D x H (mm) |
|-----------|-------------------|
| 308100 | Umkreis max. 1680 |



The different components of SYSTEM BASIC allow you to design an individual workplace.

Experience shows that many needs can be covered by our basic system. And the attractive price means that it will quickly pay for itself!



On page 80 you will find some interesting facts about the add-on cutter!

Document shelf

Steel drawer

SYSTEMATIC

SYSTEM 1600 offers you two all-in-one solutions with either a bottom shelf and steel drawer, or with a roll holder and add-on cutter - depending on what it is to be used for.

Do you need other accessories? That's no problem, as both all-in-one solutions can be extended with accessories from the SYSTEM range. You can also put together your own custom solution from the SYSTEM 1600 elements shown on the following pages. The SYSTEM 1600 has an adjustable height of between 690 mm and 960 mm as standard.



SYSTEM 1600

Complete packing station with 1600 mm wide table top, document shelf and cardboard storage rack

- Sturdy steel table
- 30 mm worktop
- 300 kg surface load capacity
- Light grey worktop coated with melamine resin
- Steel components with powder-coated finish, anthracite RAL 7016, ruby red RAL 3003

Order no. 163001

W x D x H (mm): 1600 x 800 x 690-960


With bottom shelf (1145 x 650 x 19 mm) and steel drawer (520 x 500 x 150 mm)

Order no. 163002

W x D x H (mm): 1600 x 800 x 690-960

Like 163001 but with cutter in silver-grey RAL 9007, cutter cartridges for paper and foils, cutting width 100 cm, spindle set with cones and bearing shells (without drawer and bottom shelf)

 **QUALITY
MADE
IN GERMANY**



All measurements in mm



The add-on cutter is supplied with two cutter cartridges. The smooth blade is for cutting foil and the round serrated blade is for paper and cardboard. The cartridges can be effortlessly replaced.



A suitable solution for every requirement. The extensive range of accessories offers unlimited scope for combinations. Here we can show you just a few selected extension options. Your local dealer will be pleased to advise you about putting together the best packing table for your own requirements.

SYSTEM 2000



You will find all our instruction manuals in the download centre at www.huedig-rocholz.de



SYSTEMATIC

Classics, bestsellers, standard - these are terms we hear time and time again in conjunction with our SYSTEM 2000. "Extremely versatile and long-lasting" - that probably sums it up. The SYSTEM 2000 offers a multitude of combination possibilities. Beginning with the various types of tables through to the extensive range of accessories and suitable cutter stands, the system offers the ideal solution for all your needs.






SYSTEM 2000

On the following pages we will show you several interesting solutions, regardless of whether you require a single, extremely efficient workplace, or you want to equip an entire logistics centre. Here you will find further information about ergonomics and our extensive range of IT accessories. Key aspects of consignment processes are the flow of materials and weighing, which naturally also includes our roller track tables.

- Sturdy steel table
- 30 mm worktop
- 300 kg surface load capacity
- Light grey worktop, coated with melamine resin
- Steel components with powder-coated finish, anthracite RAL 7016, ruby red RAL 3003
- Optional height adjustment with a crank or electric motor
- Custom solutions as special designs
- Extensive range of accessories
- Flexible clamp mounting for accessories
- Tables with integrated scale and/or roller track

 **QUALITY
MADE
IN GERMANY**



If the work surface is too large, over time all kinds of things accumulate on it which don't belong there.

Keep your workplace completely clear and orderly right from the outset with the appropriate accessories. This will save time and calm your nerves!

SYSTEM 2000

Special features at a glance:

- SYSTEM 2000 can be expanded or upgraded whenever the need arises. This means that your products keep flowing when processes and demands change. At the same time you get a high degree of investment security.
- Daisy-chaining, integration and adaptation options offer countless possibilities from single workplaces up to complete packaging lines.
- SYSTEM 2000 organises everything you need ergonomically and close at hand, creating a tidy and efficient workplace.
- SYSTEM 2000 is versatile, and can be supplied as a packing table, roller track table, with an integrated scale, as well as with various height adjustments.
- Custom solutions. Together with your local specialist trading partner, we can develop a custom solution with SYSTEM 2000 to meet your needs.



Alongside high quality standards, being located in Germany also means that we can guarantee short delivery times and efficiently supply accessories and spare parts.

Surfaces

It goes without saying that we can offer you the right worktop for every application. As well as mechanical strain and which transport containers are used, "soft" factors also play a role. We can fulfil your colour requirements as well as provide different woodgrain decors for a pleasant working atmosphere. For assembly work, for instance, we recommend a finger-jointed worktop. A brand new addition to the range is our cut-resistant surface, e.g. for cutting packing material to size at the workplace. Our melamine resin coating has proven to be a real all-rounder, which we supply as standard.

Melamine resin coating:
For assembly and packing work


Conductive (ESD protection):
For assembling and packing electronic components

Plywood boards / multiplex:
For extreme mechanical strain and loads

Stainless steel:
For workplaces where people work with oil, acids or other fluids



You can protect the table top with a cut-resistant surface! See page 44 for more details.



Choose your preferred surface from our range. You can also combine it with all the other packing table systems!


Not only that, but you can even choose your favourite accentuating colour! Discuss your requirements with our trained sales partners – we'll be glad to help you!

SYSTEM 2000



From page 30, put together your custom SYSTEM 2000 to suit your needs!

SYSTEM 2000



Ergonomically integrated IT

- Holders for PCs, thin clients and notebooks
- Flexible monitor holders for different designs
- Ergonomic solutions for keyboard and mouse
- Printer platforms and trolleys for different printing systems
- Easy assembly
- Easy access for servicing
- Ongoing developments and adaptations to accommodate new technologies
- Other solutions available on request

Fig. A

The various TFT folding arms, as well as the keyboard and mouse platform with folding arm, can be individually combined with the supporting column, upright adapters or profile rails. The fastening system allows monitors to be easily installed (they can be secured with fixing screws).

Fig. B

Retracting printer shelf for label printers: Allows you to easily replace the printing media. Simply pull the shelf with the printer towards you for convenient access to the labels (rolls) and printing foil.

Fig. C

Printer trolley: Sturdy and mobile steel design, ideal for larger laser printers with tray, e.g. for paper.



IT at the workplace

Today, IT is an indispensable element of most workplaces. That's why we have put together an especially extensive range of IT accessories for you. It includes holders for PCs and thin clients, various keyboard solutions such as the retracting keyboard drawer, or the folding keyboard tray, and monitor holders in different designs.



Proper positioning of IT components is easy with the special attachment options. But it also cuts down the workload for your IT support team since easy access is assured for reduced service downtimes.

SYSTEM 2000

Maximum flexibility

The roller track table for SYSTEM 2000

- With work surface as a packing table
- Without work surface as a transport/buffer table
- Optionally available with integrated scale



Uninterrupted flow of materials

The flexibility of SYSTEM 2000 enables you to integrate it in your order picking and packaging processes. Various interface solutions, together with adaptation and integration options, assure an uninterrupted flow of products. One example of this are the weighing systems integrated in the table or roller track, as well as the ball units. The modular design means that adaptations can be made in the future with little effort and at a low cost. After all, it's not just the products that flow, but the processes as well.

With the right scale, you can do more than just weigh things!

With a scale, the first thing that springs to mind is weighing something. However, depending on the type of scale, it can do much more than just that. Counting scales, for example, can be helpful for order-picking small items or be used as "counting aids" in the incoming goods department. Linked to the ERP system or an article database recorded in the scale, weight plausibility checks can also be conducted during order picking. Supplemented by a barcode scanner and label printer, a large number of other solutions can also be realised. A suitable scale is available for every application purpose. Your specialist dealer will also consider this aspect during a personal consultation.



The scale can optionally also be positioned on the left or in the middle



Don't forget to take the upstream and downstream processes into account in your planning. How does the product get to the workplace, what's the next step? What happens with the empty transport containers, for instance?

SYSTEM 2000



Roller track tables

Roller track tables are the adaptive interface to the conveyor system and provide for smooth integration in the product flow. We can offer you different variations with and without a work surface, as well as with an integrated scale or height adjustment.

Flexible and versatile

Our roller track head table is especially interesting. On this table, the roller track element is rotated by 90 degrees, and both the height and the angle can be adjusted.

This allows for both ergonomic positioning of the order picking container or packaging, as well as flexible integration in the product flow.

Our roller track tables are available in numerous combinations and designs:

- with and without work surface
- with integrated scale
- optional height adjustment with a crank
- roller track element parallel to the work surface or rotated by 90°
- adjustable angle on pure roller track tables
- suitable as a transport or buffer line
- custom solutions with rollers, small rollers or ball elements
- compatible with the accessories for SYSTEM 2000 work tables



360° view of the transverse roller track table at www.huedig-rocholz.de



We are constantly active, just like your processes! Safeguard your future with flexible, extendable and adaptable systems!

Tables
SYSTEM 1200, SYSTEM 1600, SYSTEM 2000



- Packing and work table 1200**
- Sturdy steel construction
 - Struts and legs made of square tubing
 - Foldable for transporting
 - Melamine resin-coated 30 mm table top
 - The accessories for table width 1600 can be used for this table width
 - Max. surface load 300 kg

| Order no. | W x D x H (mm) |
|-----------|----------------------|
| 123034 | 1200 x 800 x 690-960 |



- Packing and work table 1600**
- Sturdy steel construction
 - Struts and legs made of square tubing
 - Foldable for transporting
 - Melamine resin-coated 30 mm table top
 - Max. surface load 300 kg

| Order no. | W x D x H (mm) |
|-----------|---|
| 163000 | 1600 x 800 x 690-960 |
| 163500 | Adjustable height with crank 710-960 mm |
| 163800 | Adjustable height electrical 710-960 mm |



- Packing and work table 2000**
- Sturdy steel construction
 - Struts and legs made of square tubing
 - Foldable for transporting
 - Melamine resin-coated 30 mm table top
 - Max. surface load 300 kg

| Order no. | W x D x H (mm) |
|-----------|---|
| 203000 | 2000 x 920 x 690-960 |
| 203500 | Adjustable height with crank 710-960 mm |
| 203800 | Adjustable height electrical 710-960 mm |



- Packing and work table with scale**
- For non-legal-for-trade weighing, max. 60 kg
 - Scale division 20 g
 - Stainless steel platform
 - With separate display unit
 - Table as 203000

| Order no. | W x D x H (mm) |
|-----------|---|
| 203200 | 2000 x 920 x 690-960 Weighing area 400 x 500 mm |
| 203530 | Adjustable height with crank 710-960 mm Weighing area 400 x 500 mm |
| 203830 | Adjustable height electrical 710-960 mm Weighing area 400 x 500 mm |



- Packing and work table with scale**
- Calibrating scale, PC interface, max. 60 kg
 - Scale division 20 g
 - RS232 interface
 - Stainless steel platform
 - With separate display unit
 - Table as 203000

| Order no. | W x D x H (mm) |
|-----------|---|
| 203210 | 2000 x 920 x 690-960 Weighing area 400 x 500 mm |
| 203534 | Adjustable height with crank 710-960 mm Weighing area 400 x 500 mm |
| 203834 | Adjustable height electrical 710-960 mm Weighing area 400 x 500 mm |




- Roller track table with work surface**
- Galvanised sheet steel work surface
 - Work surface 1955 x 300 mm
 - Roller width 600 mm
 - Rollers 5 mm higher than work surface
 - Max. surface load 150 kg

| Order no. | W x D x H (mm) |
|-----------|---|
| 203010 | 1955 x 920 x 690-960 |
| 203510 | Adjustable height with crank 710-960 mm |




- Roller track table w/o work surface**
- Struts and legs made of square tubing
 - Standard height adjustment 690-960 mm
 - Max. surface load 150 kg

| Order no. | W x D x H (mm) |
|-----------|---|
| 203020 | 1955 x 640 x 690-960 |
| 203520 | Adjustable height with crank 710-960 mm |



- Roller track table w/o work surface, with scale**
- For non-legal-for-trade weighing, max. 60 kg
 - Scale division 20 g
 - With separate display unit
 - Max. surface load 150 kg

| Order no. | W x D x H (mm) |
|-----------|--|
| 203021 | 1955 x 640 x 690-960 Weighing area 600 x 600 mm |
| 203521 | Adjustable height with crank 710-960 mm |



- Roller track table w/o work surface, with scale**
- Calibrating scale, PC interface, max. 60 kg
 - Scale division 20 g
 - With separate display unit
 - Max. surface load 150 kg

| Order no. | W x D x H (mm) |
|-----------|--|
| 203022 | 1955 x 640 x 690-960 Weighing area 600 x 600 mm |
| 203522 | Adjustable height with crank 710-960 mm |



- Roller track table with work surface and scale**
- For non-legal-for-trade weighing, max. 60 kg
 - Scale division 20 g
 - With separate display unit
 - Max. surface load 150 kg

| Order no. | W x D x H (mm) |
|-----------|--|
| 203011 | 1955 x 920 x 690-960 Weighing area 600 x 600 mm |
| 203511 | Adjustable height with crank 710-960 mm |



- Roller track table with work surface and scale**
- For legal-for-trade weighing, max. 60 kg
 - Scale division 20 g
 - With separate display unit
 - Max. surface load 150 kg

| Order no. | W x D x H (mm) |
|-----------|--|
| 203012 | 1955 x 920 x 690-960 Weighing area 600 x 600 mm |



- Side guard for roller track tables**
- Limiter for safely guiding packages and packing items on the roller track

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 203540 | 1955 x 20 x 70 |



- End stop for roller track tables**
- Limiter for packages and packing items on the roller track

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 203541 | 600 x 10 x 100 |

The scale can optionally also be positioned on the left or in the middle!
The scale display unit can be attached to a separately available bracket (p. 41).



The uprights or mounting frame form the basis for all accessories fitted above the table (pages 34, 35). Please also note that suitably sized accessories are available for table widths 1600 and 2000. Your local dealer will be pleased to advise you about putting together the best solution for your own requirements.

SYSTEM 1200, SYSTEM 1600, SYSTEM 2000
Which upright fits which table?

| | | | | | | |
|--|------|------|------|------|--------|--------|
| Mounting upright | 2062 | 2064 | 2065 | 2066 | 206411 | 206410 |
| Packing table | | | | | | |
| 123034, 163000 | ● | ● | | | ● | |
| 163500, 163800 | | | ● | ● | ● | |
| 203000, 203200, 203210 | ● | ● | | | | ● |
| 203500, 203532, 203533, 203800, 203832, 203833 | | | ● | ● | | ● |
| Roller track table | | | | | | |
| 203020, 203021, 203022, 203520, 203521, 203522 | | | | | | ● |
| 203010, 203011, 203012 | ● | ● | | | | ● |
| 203510, 203511 203512 | | | ● | ● | | ● |
| Use without table | | | | | ● | ● |



- Uprights**
- Short or long version
 - With screw fitting to table legs
 - Set = 2 pcs.

| Order no. | W x D x H (mm) |
|-----------|--|
| 2062 | 1170 mm, above table 485 mm Weight 6 kg |
| 2064 | 1770 mm, above table 1085 mm Weight 8 kg |
| 2065 | 1170 mm, above table 485 mm Weight 4 kg |
| 2066 | 1770 mm, above table 1085 mm Weight 13 kg |




- Add-on frame for variable-height tables**
- Alternative for attaching accessories
 - Combinable with all the tables

| Order no. | W x D x H (mm) |
|-----------|--|
| 206410 | For table width 2000 W x D x H (mm): 1800 x 810 x 1800 Weight 29 kg |
| 206411 | For table width 1600 W x D x H (mm): 1215 x 810 x 1800 Weight 26 kg |




The uprights or mounting frame form the basis for all accessories fitted above the table (pages 34, 35). Please also note that suitably sized accessories are available for table widths 1600 and 2000. Your local dealer will be pleased to advise you about putting together the best solution for your own requirements.

Project examples




Accessories above the table
SYSTEM 1200, SYSTEM 1600, SYSTEM 2000



Perforated back panel® RasterPlan

- Perforated panel for hooking on tools


| Order no. | W x D x H (mm) |
|--------------------------------|--|
| 707016 For table width 1600 | W x H 1500 x 450 Weight 9 kg |
| 707116 For table width 1600 | 1/3 slotted panel and 2/3 perforated panel W x H 1500 x 450 Weight 9 kg |
| 707020 For table width 2000 | W x H 2000 x 450 Weight 12 kg |



Cupboard system

- Incl. brackets
- 2 lockable doors
- Shelves
- Dividers


| Order no. | W x D x H (mm) |
|--------------------------------|----------------------------------|
| 205600 For table width 2000 | 1760 x 330 x 585 Weight 66 kg |



Add-on storage rack

- Dividers
- Flexible clamp assembly
- Max. surface load 50 kg


| Order no. | W x D x H (mm) |
|-------------------------------|--|
| 1653 For table width 1600 | 1015 x 600 x 400 3 x small brackets 3 x large brackets Weight 20 kg |
| 2053 For table width 2000 | 1600 x 600 x 400 5 x small brackets 4 x large brackets Weight 28 kg |
| 1653D For table width 1600 | Without dividers, etc. For installing retract- ing printer platform, Weight 17 kg |
| 2053D For table width 2000 | Without dividers, e.g. for installing retracting printer platform Weight 25 kg |



Document shelf

- Made of sheet steel
- Flexible clamp assembly
- Max. surface load 25 kg


| Order no. | W x D x H (mm) |
|------------------------------|---------------------------------|
| 1650 For table width 1600 | W x H 1045 x 230 Weight 5 kg |
| 2050 For table width 2000 | W x H 1630 x 230 Weight 7 kg |



Storage shelf

- 30 mm melamine resin-coated wood
- Flexible clamp assembly
- Max. surface load 50 kg

| Order no. | W x D x H (mm) |
|--------------------------------|----------------------------------|
| 704740 For table width 1600 | W x D 1046 x 400 Weight 6 kg |
| 704750 For table width 2000 | W x D 1600 x 400 Weight 15 kg |



Inclined shelf

- Made of sheet steel
- Flexible clamp assembly
- Infinitely adjustable angle
- With raised edge
- Max. surface load 50 kg

| Order no. | W x D x H (mm) |
|--------------------------------|---------------------------------|
| 704700 For table width 1600 | 1045 x 450 x 60 Weight 10 kg |
| 704800 For table width 2000 | 1630 x 450 x 60 Weight 20 kg |

For attaching accessories from this chapter, you will need the uprights or the mounting frame!
Hook range for perforated back panels on page 36



Workplace lighting

- For attachment to add-on storage rack (1653, 2053, 505300) or
- Bracket for attaching workplace lighting (207001, 207002, 507001)
- 903 LUX, 4000 K, 2158 lm
- 0,15 A, I/IP30
- plus 4m connecting cable with safety plug


| Order no. | W x D x H (mm) |
|-----------|------------------------------|
| 207004 | 661 x 51 x 54 |
| 207003 | 976 x 51 x 54 Weight 5 kg |



Bracket for attaching workplace light

- For attachment to uprights
- For workplace light no. 207000

| Order no. | W x D x H (mm) |
|--|--------------------------------|
| 207001 For table width 2000 | 1730 x 515 x 40 Weight 1 kg |
| 207002 For table width 1600 and 1200 | 1730 x 455 x 40 Weight 1 kg |



Multifunctional spar

- For attaching further accessories

| Order no. | W x D x H (mm) |
|--------------------------------|--|
| 704711 For table width 1600 | 1055 x 40 x 40 Weight 2 kg |
| 704710 For table width 2000 | 1640 x 40 x 40 Weight 4 kg |
| 705081 | Multipurpose shelf 315 x 240 x 130 Weight 3 kg |
| 704714 | Holder incl. 5 stor- age bins, size 7 |



Utensil holder XXL

- For mounting on multifunctional spar 704711 / 704710
- incl. dividers


| Order no. | W x D x H (mm) |
|--------------------------------|--------------------------------|
| 705116 For table width 1600 | 800 x 200 x 90 Weight 6 kg |
| 705100 For table width 2000 | 1616 x 200 x 90 Weight 7 kg |
| 122052 | dividers 2 pieces |



Holder for storage boxes

- Document shelf, suitable for A4 baskets
- Mounted under storage shelf 704750/704740
- Storage boxes not included

| Order no. | W x D x H (mm) |
|-----------|--------------------------------|
| 707600 | 265 x 375 x 330 Weight 5 kg |



Adhesive tape holder

- for attaching to square tubing

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 209205 | 90 x 227 x 78 |



Bottle holder

- for one small bottle and one 1.5l bottle

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 228200 | 207 x 176 x 129 |



All shelves are infinitely adjustable in height for adapting them to your needs.


®RasterPlan hook range for perforated back panel
SYSTEM 1200, SYSTEM 1600, SYSTEM 2000



Tool holder with oblique hook

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder

| Order no. | L x Ø (mm) |
|-----------|------------|
| 86000001 | 50 x 6 |
| 86000002 | 100 x 6 |
| 86000003 | 150 x 6 |
| 86000004 | 200 x 6 |



Tool holder with vertical hook end

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder

| Order no. | L x Ø (mm) |
|-----------|------------|
| 86000005 | 35 x 6 |
| 86000006 | 75 x 6 |
| 86000007 | 125 x 6 |



Tool holder with straight spike single

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder

| Order no. | L x Ø (mm) |
|-----------|------------|
| 86000008 | 50 x 6 |
| 86000009 | 100 x 6 |
| 86000010 | 150 x 6 |



Dual tool holder with oblique hook end

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system


| Order no. | L x Ø (mm) |
|-----------|------------|
| 86000011 | 50 x 6 |
| 86000012 | 75 x 6 |
| 86000013 | 150 x 6 |



Dual tool holder with vertical hook end

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system

| Order no. | L x Ø (mm) |
|-----------|------------|
| 86000014 | 35 x 6 |
| 86000015 | 50 x 6 |
| 86000016 | 75 x 6 |
| 86000017 | 150 x 6 |



Dual tool holder with straight spike

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system

| Order no. | L x Ø (mm) |
|-----------|------------|
| 86000018 | 50 x 6 |
| 86000019 | 100 x 6 |
| 86000020 | 150 x 6 |



Magnetic holder

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system

| Order no. | Ø (mm) |
|-----------|--------|
| 86000021 | 40 |



Machine tool holder

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system


| Order no. | Ø (mm) |
|-----------|--------|
| 86000022 | 40 |
| 86000023 | 60 |
| 86000024 | 80 |



Rounded holder

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system

| Order no. | L x B (mm) |
|-----------|------------|
| 86000025 | 65 x 25 |



Tool holder for self-service packaging

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder


| Order no. | W x D (mm) |
|-----------|------------|
| 86000026 | 125 x 30 |



Pipe bracket

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder


| Order no. | W x Ø (mm) |
|-----------|------------|
| 86000027 | 35 x 60 |
| 86000028 | 35 x 100 |



Cable holder with hookend 50mm

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder


| Order no. | W x D (mm) |
|-----------|------------|
| 86000029 | 100 x 37 |
| 86000030 | 150 x 37 |
| 86000031 | 200 x 37 |



Storage box

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder


| Order no. | W x D x H (mm) |
|-----------|----------------|
| 86000032 | 320 x 135 x 55 |



Spanner holder

- For 8 spanners
- impact and scratch resistant coating
- „GS“ safety tested tool holder system


| Order no. | W x D x H (mm) |
|-----------|-------------------|
| 86000033 | 130/60 x 150 x 50 |



Screwdriver holder

- for 6 screwdrivers
- impact and scratch resistant coating
- „GS“ safety tested tool holder system


| Order no. | W x D x H (mm) |
|-----------|----------------|
| 86000034 | 200 x 30 x 40 |
| 86000035 | 390 x 30 x 40 |



Drill/Allen key holder

- For 14 pieces various Ø
- impact and scratch resistant coating
- „GS“ safety tested tool holder system


| Order no. | W x D x H (mm) |
|-----------|----------------|
| 86000036 | 200 x 30 x 35 |
| 86000037 | 390 x 30 x 35 |



Document tray

- Impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system


| Order no. | W x D x H (mm) |
|-----------|----------------|
| 86000038 | 225 x 310 x 85 |



Tool holder set 12 pieces

- „GS“ safety tested tool holder system

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 86000039 | |



Tool holder set 40 pieces


- „GS“ safety tested tool holder system

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 86000040 | |



The patent turn: the genuine ®RasterPlan screw made of polyamide protects the surface of the perforated back panel even after multiple changes in hanging position. ®RasterPlan tool holders can easily be hung into the perforations and fixed by a screw turn, providing a secure hold.

Accessories on and underneath the table
SYSTEM 1600, SYSTEM 2000



- Backboard with power strip**
- Power strip for use with sockets no. 2072
 - Incl. plastic cover
 - 4x socket strip

| Order no. | W x D x H (mm) |
|--------------------------------|---------------------------------|
| 208516 For table width 1600 | 1590 x 50 x 100 Weight 8 kg |
| 208520 For table width 2000 | 1890 x 50 x 100 Weight 11 kg |



- Steel drawer**
- Lockable
 - For use on right and/or left underneath table
 - Plastic guide rail
 - With drawer stops
 - Load capacity 35 kg

| Order no. | W x D x H (mm) |
|-----------|---|
| 200600 | 520 x 500 x 150 Interior dimensions: 460 x 495 x 120 Weight 9 kg |



- Drawer unit**
- With 3 drawers
 - Central locking mechanism
 - Retraction 420 mm
 - Max. load 25 kg per drawer

| Order no. | W x D x H (mm) |
|-----------|--|
| 2010 | 535 x 600 x 785 Interior dimensions: 430 x 550 x 180 Weight 45 kg |



- Backboard**
- Square tubing 40 x 40 mm

| Order no. | W x D x H (mm) |
|--------------------------------|-------------------------------|
| 126000 For table width 1200 | 1200 x 40 x 40 Weight 4 kg |
| 166000 For table width 1600 | 1600 x 40 x 40 Weight 4 kg |
| 206000 For table width 2000 | 2000 x 40 x 40 Weight 5 kg |



- Two drawers**
- Separately lockable
 - For use on right and/or left underneath table
 - Telescopic guide rail
 - Load capacity per drawer 20 kg

| Order no. | W x D x H (mm) |
|-----------|--|
| 200620 | 520 x 500 x 320 Interior dimensions: 460 x 495 x 120 Weight 16 kg |



- Steel container**
- Mobile
 - With 4 castors, 2 with brake function
 - With plastic insert for waste disposal
 - Max. load capacity 30 kg.

| Order no. | W x D x H (mm) |
|-----------|---------------------------------|
| 200800 | 500 x 650 x 525 Weight 18 kg |




- Bottom shelf**
- Max. surface load 50 kg

| Order no. | W x D x H (mm) |
|--------------------------------|---------------------------------|
| 160900 For table width 1600 | 1135 x 650 x 19 Weight 16 kg |
| 200900 For table width 2000 | 1720 x 770 x 19 Weight 25 kg |



- Cupboard unit**
- With 1 drawer and 1 cupboard door
 - Separately lockable
 - Cupboard door can be hung on right or left

| Order no. | W x D x H (mm) |
|-----------|--|
| 2011 | 535 x 600 x 785 Interior dimensions: 490 x 570 x 430 Weight 45 kg |



- Gap Cover**
- Cover between the bars
(for double workstation)

| Order no. | W x D x H (mm) |
|-----------|-------------------------------|
| 163003 | 1051 x 40 x 70 Weight 2 kg |
| 203003 | 1636 x 40 x 70 Weight 3 kg |



- Castor set**
- For variable height packing tables
 - Set of 4 castors, 2 with brake function
 - ø 125 mm
 - Height 162 mm

| Order no. | W x D x H (mm) |
|---|----------------|
| 2030-2 For table width 1200, table width 1600 and table width 2000 | ø 125 |



- Add-on cutter**
- Max. clamping range 70 mm
 - Suitable for 203000 and 503000

| Order no. | W x D x H (mm) |
|-----------|-----------------------|
| 55107 | Cutting width 750 mm |
| 55110 | Cutting width 1000 mm |
| 55112 | Cutting width 1250 mm |



- Undertable cutter, mobile**
- Dispensing height 580 mm
 - Order no. 25507, suitable for order nos. 2011 and 2010
 - 4 castors, of which 2 are lockable
 - Max. roll weight 200 kg
 - Max. roll Ø 750 mm

| Order no. | W x D x H (mm) |
|-----------|-----------------------|
| 25507 | Cutting width 750 mm |
| 25510 | Cutting width 1000 mm |
| 25512 | Cutting width 1250 mm |



- Spindle set, complete**
- Spindle tube diameter 32 mm, for roll widths up to 1600 mm
 - 1 pair of cones and clamp rings for adjusting roll and spindle
 - Max. roll weight 100 kg

| Order no. | W x D x H (mm) |
|-----------|---|
| 23900 | 1850 x 32 Ø Weight 4 kg |
| 23910 | 1000 x 32 Ø Weight 4 kg |
| 23800 | Horiz. bearing shell for roll spindle Weight 1 kg |



- Mobile roll dispenser**
- Order no. 23107
 - 4 castors, of which 2 are lockable
 - Max. roll weight 200 kg
 - Max. roll Ø 500 mm

| Order no. | W x D x H (mm) |
|-----------|-------------------------|
| 23107 | Max. roll width 750 mm |
| 23110 | Max. roll width 1000 mm |
| 23112 | Max. roll width 1250 mm |



- Undertable storage rack, mobile**
- One level, for approx. 100 folding cartons
 - 4 castors, of which 2 are lockable
 - Max. surface load 100 kg

| Order no. | W x D x H (mm) |
|---|----------------------------------|
| 2042 Undertable storage rack, short, 1 level | 1015 x 600 x 604 Weight 21 kg |
| 2042-1 Undertable storage rack Short, 1 level, with telescopic handle | 1015 x 600 x 690 Weight 23 kg |



- Undertable storage rack, mobile**
- One level, for approx. 160 folding cartons
 - 4 castors, of which 2 are lockable
 - Max. surface load 100 kg

| Order no. | W x D x H (mm) |
|---|----------------------------------|
| 2043 Undertable storage rack, long, 1 level | 1600 x 600 x 604 Weight 27 kg |
| 2043-1 Undertable storage rack, long, 1 level, with telescopic handle | 1600 x 600 x 690 Weight 31 kg |

More transporting devices
from page 94
onwards

Other cutters
from
page 86

IT accessories

SYSTEM 1200, SYSTEM 1600, SYSTEM 2000



Support column with screw clamp

- For attaching a TFT folding arm and a keyboard tray
- Aluminium profile with clamp attachment

| Order no. | W x D x H (mm) |
|--------------------------------|--------------------------------|
| 509001 Clamping range 14-40 mm | 51 x 51 x 445 Weight 1.5 kg |
| 509002 Clamping range 5-65 mm | 51 x 51 x 445 Weight 2 kg |
| 509006 Clamping range 5-65 mm | 51 x 51 x 45 Weight 2 kg |



Profile rail for PC folding arms

- Upright attachment with 2 clamp sections
- With 3 fastening grooves
- Suitable for double workplaces
- Weight 2 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 509005 | H: 750 |



TFT folding arms

- For flexible attachment of a TFT monitor
- VESA 75/100 quick-release attachment

| Order no. | W x D x H (mm) |
|----------------------------|------------------------------------|
| 509203 Load capacity 5 kg | 100 x 455 x 115 Weight 1.6 kg |
| 509204 Load capacity 15 kg | 100 x 455 x 200 Weight 2.1 kg |
| 509207 Load capacity 8 kg | 100 x 455 x 200 branch (456-704mm) |
| 509209 Load capacity 10 kg | 100x700x200 branch (700 mm) |



TFT support carriage

- For flexible attachment of a TFT monitor on the supporting column or adapter
- Load capacity 12 kg
- Weight 1 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 509202 | 100 x 125 x 115 |



Keyboard and mouse platform with folding arm

- For flexible attachment to the supporting column or adapter
- shelf size: 640 x 172 mm
- Load capacity 10 kg
- Weight 1 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 509201 | 640 x 728 x 120 |



Upright adapter

- Adapter for folding arm and support carriage


| Order no. | W x D x H (mm) |
|---|----------------|
| 509003 For attaching 509201, 509202, 509203 | 47 x 67 x 120 |
| 509004 For attaching 509204, 509207 | 47 x 67 x 200 |



PC holder

- For mounting underneath packing table
- Incl. fastening screws and drilling template

| Order no. | W x D x H (mm) |
|---|------------------------------------|
| 228100 | 100-242x150x320-545 Weight 3 kg |
| 228101 Upright attachment for PC holder | 130 x 240 x 120 |



Mini PC holder

- For mounting underneath packing table
- Interior height 205-360 mm
- Interior width 50-100 mm
- Weight 2 kg


| Order no. | W x D x H (mm) |
|-----------|---------------------|
| 228110 | 160 x 115 x 240-395 |



Retracting keyboard and mouse platform

- Space-saving holder for mounting underneath storage shelf 704750
- Weight 2 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 208120 | 600 x 420 x 110 |



Keyboard and mouse platform

- With non-slip rubber surface for mounting on universal shelf 2082
- Weight 5 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 20812 | 760 x 210 x 20 |



Retracting printer platform

- For mounting on add-on storage rack no. 2053, 1653, 2053D, 1653D
- Weight 11 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 205350 | 375 x 658 x 100 |



Universal shelf

- For monitor, adhesive tape dispenser, etc.
- Clamp assembly on uprights
- Max. surface load 25 kg
- Weight 8 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 2082 | 440 x 520 x 90 |



Printer trolley, undertable version

- With storage tray for paper
- Mobile
- With 4 castors, 2 with brake function
- Load capacity 50 kg
- Weight 20 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 204251 | 500 x 600 x 240 |



4-socket outlet

- Clamp assembly on uprights
- Incl. 2.90 m connecting cable
- Weight 1 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 2074 | 61 x 45 x 304 |


Weighing accessories



Holder for scale display unit

- For flexible clamping to uprights

| Order no. | W x D x H (mm) |
|-----------|------------------------------|
| 2091 | 120 x 92 x 42 Weight 1 kg |



Holder for scale display unit

- Attached at perforated sheet
- Mounting at Rhewa scale display unit

| Order no. | W x D x H (mm) |
|-----------|-------------------------------|
| 509232 | 120 x 50 x 100 Weight 1 kg |




Holder for scale display unit

- Attached at TFT-articulated arm
- Mounting at Rhewa scale display unit

| Order no. | W x D x H (mm) |
|-----------|-------------------------------|
| 509206 | 120 x 50 x 100 Weight 1 kg |

Ergonomic accessories and lifting aids
SYSTEM 1600, SYSTEM 2000



Ergonomic workplace mat

- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface


| Order no. | W x D x H (mm) |
|-----------------------|----------------------------------|
| 600004 Dry version | 1350 x 1000 x 16 Weight 19 kg |
| 600005 Wet version | 1350 x 1000 x 16 Weight 18 kg |



ErgoPlus 3000 standing aid

- Incl. foot rest
- Infinite adjustment of the seat cushion
- Collapsible
- Weight 12 kg


| Order no. | W x D x H (mm) |
|-----------|------------------|
| 519192 | 670 x 500 x 1100 |



Footrest

- With inclined tread surface

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 5185 | 470 x 370 x 120 |



Ergonomic workplace mat

- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface

| Order no. | W x D x H (mm) |
|------------------------------|--------------------------------|
| 600014 Basic slim version | 1000 x 650 x 10 Weight 6 kg |
| 600015 Basic grip version | 1000 x 650 x 13 Weight 7 kg |



Saddle stool

- Ergonomic saddle seat
- Seat tilt adjustment
- Adjustment range 630-890 mm
- Weight 10 kg


| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 852086 | 478 x 445 x 660 |



Footrest

- Variable height 110-320 mm
- Moveable plastic tread plate
- Adjustable angle: 0°-30°
- Weight 7 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 852038 | 520 x 375 x 140 |



Ergonomic workplace mat

- Puzzle joint
- Protects the joints and spinal discs
- Bevelled edges for less risk of tripping
- Anti-slip surface

| Order no. | W x D x H (mm) |
|----------------------------|----------------------------------|
| 600007 Puzzle variant D | 1300 x 1000 x 16 Weight 30 kg |
| 600009 Puzzle variant E | 1240 x 1000 x 16 Weight 15 kg |



Corner tables

| Order no. | W x D x H (mm) |
|---|---------------------|
| 203100 Free-standing with 4 legs, max. load capacity 300 kg | 960 x 920 x 690-960 |
| 203110 Attached, square with stand leg, max. surface load 50 kg | 920 x 920 x 690-960 |
| 203120 Attached, trapezoid with stand leg, max. surface load 50 kg | 920 x 700 x 690-960 |



Pneumatic lift table

- Allows effortless lifting and lowering of heavy cartons
- Requires 6 bar compressed air supply
- 250 mm lift height
- Weight 50 kg
- Max. load capacity 60 kg

| Order no. | W x D x H (mm) |
|-----------|---------------------|
| 209100 | 600 x 600 x 500-710 |



Side table for carton scale

- Max. surface load 100 kg

| Order no. | W x D x H (mm) |
|-----------|-------------------------------------|
| 209000 | 600 x 600 x 770 Weight 17 kg |
| 209034 | 600 x 600 x 605-875 Weight 19 kg |



Pneumatic lift table, stainless steel platform

- Stainless steel platform WxD 450x600 mm
- Lift height 500 mm
- Incl. foot switch
- Table prepared for bolting to floor
- Mounting materials not included
- Requires 6 bar compressed air supply
- Max. load capacity 60 kg

| Order no. | WxDxH(mm) |
|----------------------------------|--------------|
| 209101 Lift height 200-700 mm | 450x735x1275 |
| 209102 Lift height 200-900 mm | 450x735x1675 |



Packing and order picking trolley

- Height adjustment with gas pressure cylinder
- Max. load capacity 30 kg
- Weight 52 kg

| Order no. | W x D x H (mm) |
|-----------|---------------------|
| 209040 | 680 x 870 x 670-960 |




Pneumatic lift table, stainless steel platform

- Stainless steel platform WxD 450x600 mm
- Lift height 500 mm resp. 700 mm
- Incl. foot switch
- Table with pedestal base
- Requires 6 bar compressed air supply
- Max. load capacity 60 kg

| Order no. | W x D x H (mm) |
|------------------------------------|------------------|
| 209103 Lift height 250 - 750 mm | 450 x 845 x 1320 |
| 209104 Lift height 250 - 950 mm | 450 x 840 x 1720 |

Other accessories
SYSTEM 1600, SYSTEM 2000



- Cut-resistant overlay**
- Transparent
 - For traceless cuts
 - Surface with slight anti-slip effect

| Order no. | W x D x H (mm) |
|-----------|------------------------------|
| 509400 | 900 x 600 x 3 Weight 2 kg |



- Cut-resistant overlay**
- Protects parts of the worktop against damage from mechanical strain
 - Bonded to table top with the supplied adhesive pads

| Order no. | W x D x H (mm) |
|----------------------------------|--------------------------------|
| 203095 Stainless steel | 1000 x 800 x 2 Weight 13 kg |
| 203096 Galvanised sheet steel | 1000 x 800 x 2 Weight 12 kg |



- Waste container made of PP cavity sheeting**
- Mould and moisture-proof
 - For hygienic applications, no fibre formation on the surface
 - Shock-absorbing
 - Set = 2 pcs.

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 2056 | 600 x 500 x 600 |



- Slice - Auto-Retractable Box Cutter**
- Incl. one double-sided ceramic blade
 - Automatically retractable blade
 - 8-10 times sharper than a steel blade
 - Easy blade change
 - Injury-proof handling

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 99090238 | |



- Solo Lift Pro carry aid**
- Practical, single-handed lifting aid for small, light boxes

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 99090233 | |



- Dual Lift Pro carry aid**
- With 2 belt pouches
 - Safe lifting of large and heavy cartons through effective load distribution

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 99090234 | |



- Display panel holder with magnetic attachment**
- Display panel holder with 5 display panels, black
 - Metal wall holder with magnetic back

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 591401 | |



- Display panel holder as table stand-up display**
- Complete set made of powder-coated steel for table top use
 - L-shaped, metal table stand-up display with 10 display panels, assorted colours

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 557000 | |



- A4 display panel**
- 5 display panels
 - Polypropylene display panels with black all-round profile frame
 - For DIN A4 info sheets

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 560601 | |



- Mobile hanging frame**
- 360° swivel mounting

| Order no. | W x D x H (mm) |
|--|--|
| 2046 | 1050 x 700 x 2100-3500 Weight 50 kg |
| 802045 Extension strut with bracket | Weight 2 kg |



- Mobile cardboard storage rack**
- Two levels
 - With handle

| Order no. | W x D x H (mm) |
|--|-----------------------------------|
| 2042-2 Cardboard storage rack, short For approx. 200 folding cartons | 1015 x 600 x 1260 Weight 42 kg |
| 2043-2 Cardboard storage rack, long, For approx. 320 folding cartons | 1600 x 600 x 1260 Weight 58 kg |



- Mobile cardboard storage rack**
- Three levels
 - With handle

| Order no. | W x D x H (mm) |
|--|-----------------------------------|
| 2042-3 Cardboard storage rack, short For approx. 300 folding cartons | 1015 x 600 x 1860 Weight 64 kg |
| 2043-3 Cardboard storage rack, long, For approx. 480 folding cartons | 1600 x 600 x 1860 Weight 88 kg |

More transporting devices from page 94 onwards



- Rubbish bin**
- holding capacity 90l
 - with handles for easy transportation

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 99090241 | 520 x 490 x 610 |



- Trolley for 90 litre rubbish bin**
- carriage white varnished metal
 - four swivel castors

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 99090240 | 395 x 385 x 180 |



Add-on storage rack can be mounted level or inclined

H+R mounting profile
For inclined mounting at 0° or 20°

Shelf can be hooked on at
+20°, 0°, -20°

TFT and keyboard holder with
double-joint arm

Thin client
holder

Horizontally adjustable H+R
mounting profile



The H+R mounting profiles are the real star of SYSTEM FLEX. Lateral grooves are used for the infinitely variable attachment of components such as perforated back panels, monitor swivel arms and other accessories. The front sides have a grid perforation of 39:39 mm for quickly hanging on shelves, retracting platforms, roll holders and other components without screws.

SYSTEM FLEX





Combine the possibilities

Ergonomics play a key role, but not at the expense of flexibility. The top section of the mounting profile can be mounted upright or inclined by 20 degrees. This significantly improves the grip position of the shelves and accessories. By detaching the mounting profiles from the table leg, the structures can additionally be moved horizontally to any position to accommodate conveyor system connections, for instance.



Special features at a glance:

- The HR profile tube combines the advantages of an aluminium profile and a sturdy steel construction to create a totally innovative and exceedingly flexible concept.
- The front sides of the HR mounting profiles have a grid perforation of 39:39 mm for quickly hanging on shelves, roll holders and other components without screws. This means that you can easily adapt the table to suit your processes, even when they change.
- The lateral grooves are used to attach components such as perforated back panels, monitor swivel arms and other accessories and flexibly adjust their height. New accessories can be easily added as required.
- The top section of the HR mounting profile can be mounted upright or inclined by 20 degrees. This significantly improves the grip position of the add-on parts! The grip area becomes more ergonomic for the workers. The carrier arms can also be mounted at an angle of -20°, 0° and +20°. This results in numerous combination possibilities.
- By detaching the mounting profiles from the table leg, the structures can also be infinitely moved horizontally on the frame to accommodate conveyor system connections, for instance.
- The first packing table that has been certified by the German interest group of back-training teachers as an ergonomic product (as of 08.05.15).
- Daisy-chaining, integration and adaptation options offer countless possibilities from single workplaces up to complete packaging lines.




**QUALITY
MADE
IN GERMANY**




"Switching to the FLEX table system has resulted in a time optimisation of 20% per order in our delivery department. At the same time, our employees are motivated and relaxed when they finish work. We hadn't reckoned with that."
Jan H., logistics manager

SYSTEM FLEX



From page 52, put together a SYSTEM FLEX station to meet your specific needs!

Basic table
SYSTEM FLEX




SYSTEM FLEX basic table
Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tube, infinitely variable height 690-960 mm with clamping screws, worktop 30 mm thick, melamine resin coating, light grey surface with 2 mm ABS edge, functional struts in accentuating colour, max. surface load 300 kg

| Dimensions | Accentuating colour | Order no. |
|------------------------------------|---------------------|-----------|
| W x D x H: 1200 x 800 x 690-960 mm | Ruby red | 73000000 |
| W x D x H: 1200 x 800 x 690-960 mm | Gentian blue | 73000001 |
| W x D x H: 1600 x 800 x 690-960 mm | Ruby red | 73000100 |
| W x D x H: 1600 x 800 x 690-960 mm | Gentian blue | 73000101 |
| W x D x H: 2000 x 800 x 690-960 mm | Ruby red | 73000200 |
| W x D x H: 2000 x 800 x 690-960 mm | Gentian blue | 73000202 |



SYSTEM FLEX basic table with electrical height adjustment
Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tube, infinitely variable height 720-1120 mm with electric motor, worktop 30 mm thick, melamine resin coating, light grey surface with 2 mm ABS edge, functional struts in accentuating colour, max. surface load 300 kg

| Dimensions | Accentuating colour | Order no. |
|-------------------------------------|---------------------|-----------|
| W x D x H: 1200 x 800 x 720-1120 mm | Ruby red | 73000600 |
| W x D x H: 1200 x 800 x 720-1120 mm | Gentian blue | 73000601 |
| W x D x H: 1600 x 800 x 720-1120 mm | Ruby red | 73000700 |
| W x D x H: 1600 x 800 x 720-1120 mm | Gentian blue | 73000701 |
| W x D x H: 2000 x 800 x 720-1120 mm | Ruby red | 73000800 |
| W x D x H: 2000 x 800 x 720-1120 mm | Gentian blue | 73000801 |



SYSTEM FLEX Table frame M
Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tube, infinitely variable height 720-1120 mm with clamp screws, functional struts in accentuating colour

| Dimensions | Accentuating colour | Order no. |
|------------------------------------|---------------------|-----------|
| W x D x H: 1200 x 800 x 690-960 mm | Ruby red | 73100000 |
| W x D x H: 1200 x 800 x 690-960 mm | Gentian blue | 73100001 |
| W x D x H: 1600 x 800 x 690-960 mm | Ruby red | 73100900 |
| W x D x H: 1600 x 800 x 690-960 mm | Gentian blue | 73100901 |
| W x D x H: 2000 x 800 x 690-960 mm | Ruby red | 73100202 |
| W x D x H: 2000 x 800 x 690-960 mm | Gentian blue | 73100201 |



SYSTEM FLEX table frame E with electrical height adjustment
Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tube, infinitely variable height 690-1090 mm with electric motor, functional struts in accentuating colour

| Dimensions | Accentuating colour | Order no. |
|-------------------------------------|---------------------|-----------|
| W x D x H: 1200 x 800 x 690-1090 mm | Ruby red | 73100600 |
| W x D x H: 1200 x 800 x 690-1090 mm | Gentian blue | 73100601 |
| W x D x H: 1600 x 800 x 690-1090 mm | Ruby red | 73100700 |
| W x D x H: 1600 x 800 x 690-1090 mm | Gentian blue | 73100701 |
| W x D x H: 2000 x 800 x 690-1090 mm | Ruby red | 73100800 |
| W x D x H: 2000 x 800 x 690-1090 mm | Gentian blue | 73100801 |

Complete the base table with our cable remote control with 4-fold memory for electrically height-adjustable tables Order no. 73315200



Roller track tables on page 55

Worktops
SYSTEM FLEX



SYSTEM FLEX table top

- 30 mm worktop
- Melamine resin coating
- Light grey surface with 2 mm ABS edge

| Order no. | W x D x H (mm) |
|---|-----------------|
| 73200010 Standard | 1200 x 800 x 30 |
| 73200300 ESD conductivity as per IEC 61340-5-1 | 1200 x 800 x 30 |
| 73200110 Standard | 1600 x 800 x 30 |
| 73200400 ESD conductivity as per IEC 61340-5-1 | 1600 x 800 x 30 |
| 73200210 Standard | 2000 x 800 x 30 |
| 73200500 ESD conductivity as per IEC 61340-5-1 | 2000 x 800 x 30 |



Table tops with scale cutout

- 30 mm worktop
- Melamine resin coating
- Light grey surface with 2 mm ABS edge
- Scale cutout: W x D: 516x416 mm
- Scale cutout left or right

| Order no. | W x D x H (mm) |
|----------------------|-----------------|
| 73200610 Standard | 1200 x 800 x 30 |
| 73200700 Standard | 1600 x 800 x 30 |
| 73200800 Standard | 2000 x 800 x 30 |

For table tops with a scale cutout, a mounting plate must be ordered to integrate a scale. Order no. 73203700



Table tops with scale cutout

- 30 mm worktop
- Melamine resin coating
- Light grey surface with 2 mm ABS edge
- Scale cutout: W x D: 516x416 mm
- Scale cutout in centre

| Order no. | W x D x H (mm) |
|----------------------|-----------------|
| 73201200 Standard | 1200 x 800 x 30 |
| 73201300 Standard | 1600 x 800 x 30 |
| 73201400 Standard | 2000 x 800 x 30 |



Table top, stainless steel cover

- 30 mm worktop



Multiplex table top

- 30 mm worktop, oiled

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 73202100 | 1200 x 800 x 30 |
| 73202200 | 1600 x 800 x 30 |
| 73202300 | 2000 x 800 x 30 |

| Order no. | W x D x H (mm) |
|----------------------------|-----------------|
| 73202400 Multiplex | 1200 x 800 x 30 |
| 73202700 Finger-jointed | 1200 x 800 x 30 |
| 73202500 Multiplex | 1600 x 800 x 30 |
| 73202800 Finger-jointed | 1600 x 800 x 30 |
| 73202600 Multiplex | 2000 x 800 x 30 |
| 73202900 Finger-jointed | 2000 x 800 x 30 |




Bottom shelf

- Max. surface load 50 kg
- 73300400, 73300500, 73308400 only for tables with manual height adjustment
- 73300401, 73300501, 73300601 SYSTEM FLEX bottom shelf with electrical height adjustment

| Order no. | W x D x H (mm) |
|----------------------|-----------------|
| 73300400 Standard | 1195 x 650 x 19 |
| 73300700 ESD | 1195 x 650 x 19 |
| 73300500 Standard | 1595 x 650 x 19 |

SYSTEM FLEX mounting profiles and shelves


The HR mounting profile combines the advantages of an aluminium profile and sturdy steel structure to create an innovative, flexible concept.




- HR mounting profile, long**
- With 2 functional grooves
 - With 2 rows of system perforations
 - Divided for upright or inclined mounting

| Order no. | WxDxH (mm) |
|---|----------------|
| 73308000 longversion(1.) | 1745 x 40 x 40 |
| 73312400 mounting profile long, continuous | 1745 x 40 x 40 |
| 73308100 Assembly set for inclined installation (2.) | 1745 x 40 x 40 |

Shelves
For hooking into the system perforations in the mounting profiles, for inclining at -20°, 0° and +20°. Different widths and depths at two heights allow for countless combinations. The shelves are prepared for the use of shelf dividers and stop brackets. Shelf types A and type B are supplied with carrier arms. Max. surface load 25kg.



| Order no. | W x D x H (mm) |
|--------------------------|----------------|
| 73306900 Ruby red | 800 x 200 |
| 73306901 Gentian blue | 800 x 200 |
| 73307000 Ruby red | 800 x 300 |
| 73307001 Gentian blue | 800 x 300 |
| 73307100 Ruby red | 800 x 400 |
| 73307101 Gentian blue | 800 x 400 |
| 73307200 Ruby red | 1000 x 200 |
| 73307201 Gentian blue | 1000 x 200 |
| 73307300 Ruby red | 1000 x 300 |
| 73307301 Gentian blue | 1000 x 300 |
| 73307400 Ruby red | 1000 x 400 |
| 73307401 Gentian blue | 1000 x 400 |




- HR mounting profile, short (basic)**
- With 2 functional grooves
 - With 2 rows of system perforations
 - Height above table: 520 mm

| Order no. | W x D x H (mm) |
|------------------|----------------|
| 73309200 (3.) | 1055 x 40 x 40 |



- Retracting shelf with 110 % extension**
- For screwing into system grooves in mounting profiles
 - Adjustable height in system perforations
 - Ideal for label printers
 - Max. surface load 40kg

| Order no. | W x D x H (mm) |
|--------------------------|------------------|
| 73303600 Ruby red | 800 x 500 x 140 |
| 73303601 Gentian blue | 800 x 500 x 140 |
| 73303702 Ruby red | 1000 x 500 x 140 |
| 73303701 Gentian blue | 1000 x 500 x 140 |



| Order no. | W x D x H (mm) |
|--------------------------|----------------|
| 73307500 Ruby red | 800 x 300 |
| 73307501 Gentian blue | 800 x 300 |
| 73307530 Ruby red | 800 x 400 |
| 73307531 Gentian blue | 800 x 400 |
| 73307600 Ruby red | 1000 x 300 |
| 73307601 Gentian blue | 1000 x 300 |
| 73307630 Ruby red | 1000 x 400 |
| 73307631 Gentian blue | 1000 x 400 |

Please note for two-sided shelving:
For trays which are at right angles to the spar, please order two tray types A, otherwise type A and type B must be combined as shown.

Roller track table SYSTEM FLEX



SYSTEM FLEX, roller track table
Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tubing, infinitely variable height 690-960 mm via clamping screws, functional struts in RAL 9006 white aluminium

| Dimensions | Order no. |
|------------------------------------|-----------|
| W x D x H: 1200 x 680 x 690-960 mm | 73400700 |

SYSTEM FLEX, roller track table
Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tubing, infinitely variable height 690-960 mm via clamping screws, functional struts in RAL 9006 white aluminium

| Dimensions | Order no. |
|--|-----------|
| W x D x H: ca. 1600 x 680 x 690-960 mm | 73400800 |

SYSTEM FLEX, roller track table
Tubular steel frame 40x40 mm, functional struts and rear cross members made of HR profile tubing, infinitely variable height 690-960 mm via clamping screws, functional struts in RAL 9006 white aluminium

| Dimensions | Order no.. |
|------------------------------------|------------|
| W x D x H: 2000 x 680 x 690-960 mm | 73400900 |



- Base frame of add-ons elements**
- mounting profiles with HR profile tubing
 - with 2 functional grooves, 2 system perforation rows
 - excl. assembly set for inclined installation 73308100 for 17.00 Euro

| Order no. | W x D x H (mm) |
|-----------|-------------------------------------|
| 73700000 | 837,5 x 750 x 1974 800 mm wide |
| 73700100 | 1037,5 x 750 x 1974 1000 mm wide |



- Base frame for add-on elements**
- mounting profiles with HR profile tubing
 - with 2 functional grooves, 2 system perforation rows
 - straight throughout


| Order no. | W x D x H (mm) |
|-----------|-------------------------------------|
| 73700200 | 837,5 x 750 x 2046 800 mm wide |
| 73700300 | 1037,5 x 750 x 2046 1000 mm wide |



- Extension frame with add-on elements**
- Anbauprofile aus HR-Profilrohr
 - mit 2 Funktionsnuten, 2 Systemlochrainen
 - 3.) straight, 2 parts
 - 4.) continuous

| Order no. | W x D x H (mm) |
|------------------------|------------------------------------|
| 73700400 2-geteilt | 787,5 x 750 x 1974 800 mm wide |
| 73700500 2-geteilt | 987,5 x 750 x 1974 1000 mm wide |
| 73700600 continuous | 787,5 x 750 x 2048 800 mm wide |
| 73700700 continuous | 987,5 x 750 x 2048 1000 mm wide |

SYSTEM FLEX scales and weighing accessories




- Digital table scale 60 kg**
- Evaluation unit made of ABS plastic
 - 2 m measuring cable with plug connector
 - 230 V mains connection via external power adapter, 1.8 m cable
 - Powder-coated, stainless steel weighing platform, W x D: 500x400 mm, for max. weight 60 kg, 20 g scale divisions, 1 strain gauge load cell made of anodised aluminium alloy, IP 66

| Order no. | W x D x H (mm) |
|-----------|---------------------------------|
| 897052 | 400 x 500 x 82 Weighing area |



- Digital table scale, 60 kg, with calibration function, PC connection**
- Stainless steel evaluation unit, protection class IP 67, 25 mm LCD display for gross, net or tare weight, tare correction, 10 customisable printouts, 1 RS232 serial port
 - Powder-coated, stainless steel weighing platform, WxD: 500x400 mm, for max. weight 60 kg, 20 g scale divisions, 1 strain gauge load cell of anodised aluminium alloy, IP 66

| Order no. | W x D x H (mm) |
|-----------|---------------------------------|
| 897062 | 400 x 500 x 82 Weighing area |




- Holder for scale display unit**
- For flexible attachment of a scale display unit to the mounting profile with the supplied adapter
 - Data cable must have a min. length of 2000 mm.
 - Load capacity 15 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 73310700 | 117 x 325 x 135 |


Further weighing accessories are also available on page 41 in the catalog.

Accessories above the table




- Cover rail**
- for mounting between HR mounting profiles when using a combination of front and rear shelves, level installation

| Order no. | W x D x H (mm) |
|--|----------------|
| 73312000 for mounting width 800 mm | 736 x 73 x 30 |
| 73312100 for mounting width 1000 mm | 936 x 73 x 30 |



- Partition**
- for inserting into shelf perforations
 - perforation pattern 50 mm

| Order no. | W x D x H (mm) |
|---------------------------------|----------------|
| 73314700 300 mm deep shelves | 300 x 180 |



- Drawer with extension**
- horizontally adjustable
 - for mounting underneath shelves 400mm or 2x200mm
 - load capacity 15 kg

| Order no. | W x D x H (mm) |
|-----------------------------------|----------------------------|
| 73600040 800 mm deep shelves | useable space 398 x 348 |
| 73600015 1.000 mm deep shelves | useable space 398 x 348 |




- Stop bracket**
- for inserting into the shelf perforation rows

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73301900 | 250 |



- Shelf dividers**
- for inserting into the shelf perforations
 - open shelf divider
 - sales unit = 4 pcs

| Order no.. | W x D x H (mm) |
|------------|----------------|
| 73308800 | 300 x 400 |



- Utensilo complete**
- for hooking into system perforations
 - inclinable at 0° and 20°
 - for storing roles of tape etc.
 - plus four shelf dividers

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73312600 | 1000 x 200 |
| 73312601 | 1000 x 200 |
| 73312500 | 800 x 200 |
| 73312501 | 800 x 200 |



- Stop edge**
- for screwing onto the front of a shelf
 - continuous edge with full shelf depth


| Order no. | W x D x H (mm) |
|-----------------------|----------------|
| 73302000 ruby red | 800 |
| 73302001 gentian blue | 800 |
| 73309400 ruby red | 1000 |
| 73309401 gentian blue | 1000 |
| 73314100 ruby red | 1600 |
| 73314101 gentian blue | 1600 |



- complete spindle**
- with cones and clamp rings
 - two mounting widths

| Order no. | WxDxH(mm) |
|--|-----------|
| 73315000 for constructional parts 800 mm wide | |
| 73315100 for constructional parts 1000 mm wide | |
| 73600049 Bearing shells for attachment between the mounting profiles | |

Hook assortment for hole back wall on page 58



- Perforated back panel**
- for screwing into system grooves in HR mounting profiles
 - infinitely variable height, fits flush at the front and back (in the depth) with the HR mounting profiles

| Order no. | W x D x H (mm) |
|--------------------------|-----------------|
| 73305900 ruby red | 1000 x 30 x 100 |
| 73305901 gentian blue | 1000 x 30 x 100 |
| 73302300 ruby red | 1000 x 30 x 200 |
| 73302301 gentian blue | 1000 x 30 x 200 |
| 73306002 ruby red | 1000 x 30 x 500 |
| 73306001 gentian blue | 1000 x 30 x 500 |
| 73305500 ruby red | 800 x 30 x 100 |
| 73305501 gentian blue | 800 x 30 x 100 |
| 73302200 ruby red | 800 x 30 x 200 |
| 73302201 gentian blue | 800 x 30 x 200 |
| 73303400 ruby red | 800 x 30 x 500 |
| 73303401 gentian blue | 800 x 30 x 500 |

SYSTEM FLEX lamps and lighting accessories



- Workplace lighting LED with dimming function**
- sturdy aluminium casing plus power supply
 - can be adjusted to individual lighting needs

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73315610 | 976 x 51 x 54 |



- Workplace lighting LED with dimming function**
- sturdy aluminium casing plus power supply
 - can be adjusted to individual lighting needs
 - 903 LUX, 4000 K, 2158 lm

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73315710 | 661 x 51 x 54 |



- Add. workplace lighting with dimming function**
- sturdy aluminium casing plus power supply
 - can be adjusted to individual lighting needs
 - 540 LUX, 4000 K, 1331 lm

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73315810 | 465 x 51 x 65 |

Accessories at and underneath the table




- Single drawers, lockable**
- front height: 150 mm
 - incl. assembly set
 - lockable
 - load capacity 35 kg

| Order no. | W x D x H (mm) |
|--------------------------|--|
| 73314500 ruby red | 527 x 510 x 200 useable space: 450 x 445 x 120 |
| 73314501 gentian blue | 527 x 510 x 200 useable space: 450 x 445 x 120 |




- Supplement drawers**
- front height: 150 mm
 - lockable, incl. assembly set
 - load capacity 35 kg per drawer

| Order no. | W x D x H (mm) |
|--------------------------|--|
| 73314600 ruby red | 527 x 510 x 200 useable space: 450 x 445 x 120 |
| 73314601 gentian blue | 527 x 510 x 200 useable space: 450 x 445 x 120 |



- Workplace extension**
- 110% extension
 - usable area 500 x 500 mm
 - load capacity 50 kg

| Order no. | W x D x H (mm) |
|--------------------------|-----------------|
| 73312300 ruby red | 580 x 500 x 140 |
| 73312301 gentian blue | 580 x 500 x 140 |




- Cover rail for double workplaces**
- for installation between the HR mounting profiles

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73600050 | 800 x 40 |
| 73312900 | 1000 x 40 |



- Extentable pole unit**
- infinitely extendable to 500 mm under the table
 - for attaching to functional struts

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 73315500 | 515 x 715 x 133 |




- Dividers for cartons**
- for attaching to front functional strut and rear cross member

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73600504 | 463 x 753 |



- Holder for adhesive tape dispenser**
- for attaching to HR mounting profiles
 - suitable for many common dispensers

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73308200 | 95 x 38 x 78 |



- Under-table retracting shelf**
- suitable for e.g. printers
 - load-bearing capacity of max. 25 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 73315900 | 450 x 755 x 465 |



- Bin liner holder**
- suitable for standard bin liners

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73315903 | |



- Add-on cutter**
- cutting width 750 mm
 - for hooking on to HR mounting profile

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 73303900 | 1000 x 50 x 150 |



- Roll holder**
- for screw attachment to HR mounting profile
 - max. roll weight 25 kg
 - max. roll width 750 mm
 - max. roll diameter 800 mm


| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73304000 | 1000 x 450 |



- Spindle set**
- comprising of: 1 pair of cones, 4 clamp rings, 1 spindle, 2 cups
 - spindle tube diameter 32 mm
 - max. roll weight 100 kg

| Order no. | W x D x H (mm) |
|----------------------------------|----------------|
| 73313100 for table width 1200 | |
| 73313200 for table width 1600 | |
| 73313300 for table width 2000 | |


®RasterPlan hook range for perforated back panel
SYSTEM 1200, SYSTEM 1600, SYSTEM 2000



Tool holder with oblique hook

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder


| Order no. | L x Ø (mm) |
|-----------|------------|
| 86000001 | 50 x 6 |
| 86000002 | 100 x 6 |
| 86000003 | 150 x 6 |
| 86000004 | 200 x 6 |



Tool holder with vertical hook end

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder

| Order no. | L x Ø (mm) |
|-----------|------------|
| 86000005 | 35 x 6 |
| 86000006 | 75 x 6 |
| 86000007 | 125 x 6 |



Tool holder with straight spike single

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder

| Order no. | L x Ø (mm) |
|-----------|------------|
| 86000008 | 50 x 6 |
| 86000009 | 100 x 6 |
| 86000010 | 150 x 6 |



Dual tool holder with oblique hook end

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system


| Order no. | L x Ø (mm) |
|-----------|------------|
| 86000011 | 50 x 6 |
| 86000012 | 75 x 6 |
| 86000013 | 150 x 6 |



Dual tool holder with vertical hook end

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system

| Order no. | L x Ø (mm) |
|-----------|------------|
| 86000014 | 35 x 6 |
| 86000015 | 50 x 6 |
| 86000016 | 75 x 6 |
| 86000017 | 150 x 6 |



Dual tool holder with straight spike

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system

| Order no. | L x Ø (mm) |
|-----------|------------|
| 86000018 | 50 x 6 |
| 86000019 | 100 x 6 |
| 86000020 | 150 x 6 |



Magnetic holder

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system


| Order no. | Ø (mm) |
|-----------|--------|
| 86000021 | 40 |



Machine tool holder

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system


| Order no. | Ø (mm) |
|-----------|--------|
| 86000022 | 40 |
| 86000023 | 60 |
| 86000024 | 80 |



Rounded holder

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system

| Order no. | L x B (mm) |
|-----------|------------|
| 86000025 | 65 x 25 |



Tool holder for self-service packaging

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder


| Order no. | W x D (mm) |
|-----------|------------|
| 86000026 | 125 x 30 |



Pipe bracket

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder


| Order no. | W x Ø (mm) |
|-----------|------------|
| 86000027 | 35 x 60 |
| 86000028 | 35 x 100 |



Cable holder with hookend 50mm

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder


| Order no. | W x D (mm) |
|-----------|------------|
| 86000029 | 100 x 37 |
| 86000030 | 150 x 37 |
| 86000031 | 200 x 37 |



Storage box

- impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder


| Order no. | W x D x H (mm) |
|-----------|----------------|
| 86000032 | 320 x 135 x 55 |



Spanner holder

- For 8 spanners
- impact and scratch resistant coating
- „GS“ safety tested tool holder system


| Order no. | W x D x H (mm) |
|-----------|-------------------|
| 86000033 | 130/60 x 150 x 50 |



Screwdriver holder

- for 6 screwdrivers
- impact and scratch resistant coating
- „GS“ safety tested tool holder system


| Order no. | W x D x H (mm) |
|-----------|----------------|
| 86000034 | 200 x 30 x 40 |
| 86000035 | 390 x 30 x 40 |



Drill/Allen key holder

- For 14 pieces various Ø
- impact and scratch resistant coating
- „GS“ safety tested tool holder system


| Order no. | W x D x H (mm) |
|-----------|----------------|
| 86000036 | 200 x 30 x 35 |
| 86000037 | 390 x 30 x 35 |



Document tray

- Impact and scratch resistant
- coating stamped base plate 1,5mm
- „GS“ safety tested tool holder system


| Order no. | W x D x H (mm) |
|-----------|----------------|
| 86000038 | 225 x 310 x 85 |



Tool holder set 12 pieces

- „GS“ safety tested tool holder system

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 86000039 | |



Tool holder set 40 pieces

- „GS“ safety tested tool holder system

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 86000040 | |



The patent turn: the genuine ®RasterPlan screw made of polyamide protects the surface of the perforated back panel even after multiple changes in hanging position. ®RasterPlan tool holders can easily be hung into the perforations and fixed by a screw turn, providing a secure hold.

SYSTEM FLEX IT accessories



- Thin client holder**
- For screwing into the system grooves in the HR mounting profile
 - Infinitely variable height adjustment

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73308300 | 300 x 70-120 |



- Mini PC holder**
- For mounting underneath the table, adjustable:
interior height 205-360 mm,
interior width 50-100 mm
 - Incl. fastening screws and drilling template

| Order no. | W x D x H (mm) |
|-----------|---------------------|
| 228110 | 160 x 115 x 240-395 |



- PC holder**
- For mounting underneath the table, adjustable:
interior height 307-531 mm,
interior width 78-220 mm
 - Incl. fastening screws and drilling template
 - Weight 3 kg

| Order no. | W x D x H (mm) |
|-----------|-------------------------|
| 228100 | 100-242 x 150 x 320-545 |



- TFT folding arms**
- For flexible attachment of a TFT monitor
 - VESA 75/100 quick-release attachment

| Order no. | W x D x H (mm) |
|-------------------------------|---------------------------------------|
| 509203 Load capacity 5 kg | 100 x 455 x 115 Weight 1.6 kg |
| 509204 Load capacity 15 kg | 100 x 455 x 200 Weight 2.1 kg |
| 509207 Load capacity 8 kg | 100 x 455 x 200 branch (456-704mm) |
| 509209 Load capacity 10 kg | 100 x 700 x 200 branch (700 mm) |



- Keyboard and mouse platform with folding arm**
- For flexible attachment to the HR mounting profile
 - Shelf area: 640x172 mm
 - Load capacity 10 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 509201 | 640 x 508 x 120 |



- Adapter for TFT folding arms 509204 and 509203**
- For attaching TFT folding arms to inclined HR mounting profiles
 - For positioning as required in the system grooves

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73313600 | |




- Shelves with retracting keyboard tray**
- Incl. carrier arms
 - Shelf and keyboard drawer with retracting mouse tray
 - Horizontal sliding adjustment

| Order no. | W x D x H (mm) |
|--------------------------|----------------|
| 73308600 Ruby red | 800 |
| 73308601 Gentian blue | 800 |
| 73308700 Ruby red | 1000 |
| 73308701 Gentian blue | 1000 |



- Cable tray**
- For attachment to the table functional struts

| Order no. | W x D x H (mm) |
|---|-----------------|
| 73600088 | 600 x 125 x 116 |
| 73600026 | 800 x 125 x 116 |
| 73311600 Black socket, without power cord | 61 x 45 x 304 |
| 73310200 Power cord 3 m | |
| 73311400 Connecting cable 2.5 m | |




- Cable duct**
- For attachment to shelves
 - Can also be used as a cover rail on double-sided shelves

| Order no. | W x D x H (mm) |
|---|----------------|
| 73312700 | 730 x 72 x 93 |
| 73312800 | 930 x 72 x 93 |
| 73311600 Black socket, without power cord | 61 x 45 x 304 |
| 73310200 Power cord 3 m | |
| 73311400 Connecting cable 2.5 m | |




- Cable clips**
- For cable management on HR profile up-rights
 - Set = 10 pcs.

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73312200 | 69 x 35 x 12 |



- 4-socket outlet**
- For attachment to the HR mounting profile using the supplied assembly set
 - Power connection 230 V, 16 A

| Order no. | W x D x H (mm) |
|--|----------------|
| 73311600 Black, without power cord | 61 x 45 x 304 |
| 73310200 Power cord 3 m | |
| 73311400 Connecting cable 2.5 m | |




- Holder for pens, cable ties, etc.**
- Incl. bracket for attaching to HR mounting profiles

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73600086 | 87 x 195 x 128 |
| 73600253 | 87 x 195 x 280 |


Ergonomic accessories and lifting aids

SYSTEM FLEX




- Ergonomic workplace mat
- Protects the joints and spinal discs
 - Bevelled edges for less risk of tripping
 - Anti-slip surface

| Order no. | W x D x H (mm) |
|-----------------------|----------------------------------|
| 600004 Dry version | 1350 x 1000 x 16 Weight 19 kg |
| 600005 Wet version | 1350 x 1000 x 16 Weight 18 kg |



- Ergonomic workplace mat
- Protects the joints and spinal discs
 - Bevelled edges for less risk of tripping
 - Anti-slip surface

| Order no. | W x D x H (mm) |
|------------------------------|--------------------------------|
| 600014 Basic slim version | 1000 x 650 x 10 Weight 6 kg |
| 600015 Basic grip version | 1000 x 650 x 13 Weight 7 kg |



- Ergonomic workplace mat
- Puzzle joint
 - Protects the joints and spinal discs
 - Bevelled edges for less risk of tripping
 - Anti-slip surface

| Order no. | W x D x H (mm) |
|----------------------------|----------------------------------|
| 600007 Puzzle variant D | 1300 x 1000 x 16 Weight 30 kg |
| 600009 Puzzle variant E | 1240 x 1000 x 16 Weight 15 kg |




- ErgoPlus 3000 standing aid
- Incl. foot rest
 - Infinite adjustment of the seat cushion
 - Collapsible
 - Weight 12 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 519192 | 670 x 500 x 1100 |



- Saddle stool
- Ergonomic saddle seat
 - Seat tilt adjustment
 - Adjustment range 630-890 mm
 - Weight 10 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 852086 | 478 x 445 x 660 |



- Footrest
- With inclined tread surface

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 5185 | 470 x 370 x 120 |



- Footrest
- Variable height 110-320 mm
 - Moveable plastic tread plate
 - Adjustable angle: 0°-30°
 - Weight 7 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 852038 | 520 x 375 x 140 |



- Packing and order picking trolley
- Height adjustment with gas pressure cylinder
 - Max. load capacity 30 kg
 - Weight 52 kg

| Order no. | W x D x H (mm) |
|-----------|---------------------|
| 209040 | 680 x 870 x 670-960 |



- Pneumatic lift table
- Allows effortless lifting and lowering of heavy cartons
 - Requires 6 bar compressed air supply
 - 250 mm lift height
 - Max. load capacity 60 kg
 - Weight 50 kg

| Order no. | W x D x H (mm) |
|-----------|---------------------|
| 209100 | 600 x 600 x 500-710 |



- Pneumatic lift table, stainless steel platform
- Stainless steel platform W x D 450x600 mm
 - Lift height 500 mm resp. 700 mm
 - Incl. foot switch
 - Table prepared for bolting to floor
 - Mounting materials not included
 - Requires 6 bar compressed air supply
 - Max. load capacity 60 kg

| Order no. | W x D x H (mm) |
|----------------------------------|------------------|
| 209101 Lift height 200-700 mm | 450 x 735 x 1275 |
| 209102 Lift height 200-900 mm | 450 x 735 x 1675 |



- Pneumatic lift table, stainless steel platform
- Stainless steel platform W x D 450x600 mm
 - Lift height 500 mm resp. 700 mm
 - Incl. foot switch
 - Table with pedestal base
 - Requires 6 bar compressed air supply
 - Max. load capacity 60 kg


| Order no. | W x D x H (mm) |
|----------------------------------|------------------|
| 209103 Lift height 250-750 mm | 450 x 845 x 1320 |
| 209104 Lift height 250-950 mm | 450 x 840 x 1720 |



- Table trolley
- with one infinitely variable height adjustable shelf, 245-745 mm
 - 4 swivel castors, 2 lockable
 - max. load capacity 60 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 73313700 | 500 x 405 |

Other accessories
SYSTEM FLEX



- Cut-resistant overlay**
- Transparent
 - For traceless cuts
 - Surface with slight anti-slip effect

| Order no. | W x D x H (mm) |
|-----------|------------------------------|
| 509400 | 900 x 600 x 3 Weight 2 kg |



- Cut-resistant overlay**
- Protects parts of the worktop against damage from mechanical strain
 - Bonded to worktop with the supplied adhesive pads

| Order no. | W x D x H (mm) |
|----------------------------------|--------------------------------|
| 203095 Stainless steel | 1000 x 800 x 2 Weight 13 kg |
| 203096 Galvanised sheet steel | 1000 x 800 x 2 Weight 12 kg |



- Waste container made of PP cavity sheeting**
- Mould and moisture-proof
 - For hygienic applications, no fibre formation on the surface
 - Shock-absorbing
 - Set = 2 pcs.

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 2056 | 600 x 500 x 600 |



- Slice - Auto-Retractable Box Cutter**
- Incl. one double-sided ceramic blade
 - Automatically retractable blade
 - 8-10 times sharper than a steel blade
 - Easy blade change
 - Injury-proof handling

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 99090238 | |



- Solo Lift Pro carry aid**
- Practical, single-handed lifting aid for small, light boxes

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 99090233 | |



- Dual Lift Pro carry aid**
- With 2 belt pouches
 - Safe lifting of large and heavy cartons through effective load distribution

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 99090234 | |



- Display panel holder with magnetic attachment**
- Display panel holder with 5 display panels, black
 - Metal wall holder with magnetic back

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 591401 | |



- Display panel holder as table stand-up display**
- Complete set made of powder-coated steel for table top use
 - L-shaped, metal table stand-up display with 10 display panels, assorted colours

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 557000 | |




- A4 display panel**
- 5 display panels
 - Polypropylene display panels with black all-round profile frame
 - For DIN A4 info sheets

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 560601 | |




- Mobile hanging frame**
- 360° swivel mounting

| Order no. | W x D x H (mm) |
|--|--|
| 2046 | 1050 x 700 x 2100-3500 Weight 50 kg |
| 802045 Extension strut with bracket | Weight 2 kg |



- Bottle holder**
- for one small bottle and one 1.5l bottle
 - for flexible attachment in the system groove of the HR mounting profile

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 73308500 | 210 x 125 x 130 |




- Mobile cardboard storage rack**
- Two levels
 - With handle

| Order no. | W x D x H (mm) |
|--|-----------------------------------|
| 2042-2 Cardboard storage rack, short For approx. 200 folding cartons | 1015 x 600 x 1260 Weight 42 kg |
| 2043-2 Cardboard storage rack, long, For approx. 320 folding cartons | 1600 x 600 x 1260 Weight 58 kg |



- Rubbish bin**
- holding capacity 90l
 - with handles for easy transportation

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 99090241 | 520 x 490 x 610 |



- Mobile cardboard storage rack**
- Three levels
 - With handle

| Order no. | W x D x H (mm) |
|--|-----------------------------------|
| 2042-3 Cardboard storage rack, short For approx. 300 folding cartons | 1015 x 600 x 1860 Weight 64 kg |
| 2043-3 Cardboard storage rack, long, For approx. 480 folding cartons | 1600 x 600 x 1860 Weight 88 kg |



- Trolley for 90 litre rubbish bin**
- carriage white varnished metal
 - four swivel castors

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 99090240 | 395 x 385 x 180 |

More transporting devices from page 94 onwards

FANTASTIC



A real designer object is not just attractive, but also extremely functional. Take a look on the following pages at the exceptional and ergonomic profile. Then you too will find that our MODUL 5000 is just fantastic.

MODUL 5000



Take a look at our
extensive range
of accessories from
page 69!




MODUL 5000

The design is exceptional, ergonomic, and has received international awards. Its intelligent construction enables even the basic configuration of the MODUL 5000 to be easily adapted to accommodate personal requirements for working seated or standing up. If required, the working level can also be adjusted using a crank mechanism, or for maximum convenience with an electric motor.

- Sturdy steel table
- Worktop 2000 x 880 x 38 mm
- 200 kg surface load capacity
- Light grey worktop, coated with melamine resin
- Steel components with powder-coated finish, anthracite RAL 7016, ruby red RAL 3003
- Simple height adjustment at 50 mm intervals (720-1070) without tools
- Optional height adjustment with a crank or electric motor
- Extensive range of accessories
- Tables with an integrated scale and/or roller track

 **QUALITY
MADE
IN GERMANY**



The MODUL 5000 is also ideal as an office workplace. Its "floating table top" means that there are no table legs to get in the way when you're sitting at it. The attractive design blends into every modern office landscape.

MODUL 5000



Maximalistic



The MODUL 5000 can also be equipped as a dual order picking and packing station. The top level serves as a cardboard storage rack, while the picking products are readily available underneath it on a slanting shelf. The counting scale integrated in the packing table features a PC interface as well as printer and scanner ports.

The integrated pneumatic lift table moves packing items weighing up to 60 kg and allows for effortless order picking or packing. The products are conveniently transported to the conveyor system over the roller track table standing next to the station. This prevents muscle and back ailments, a frequent cause of incapacity for work.

Ergonomics and design

The MODUL 5000 packing table with integrated roller track is a real highlight. The work surface made of galvanised sheet steel also offers enough space to "hold" even large cartons. The table height can be adjusted to between 770 and 1120 mm. This enables you to integrate it in your order picking and packaging processes.

- Ergonomic intersection for an uninterrupted flow of goods
- Integrated roller track
- Height adjustment at 50 mm intervals (720-1070)
- Optional height adjustment with a crank or electric motor
- Exceptional and ergonomic design
- Ergonomic positioning of the accessories by means of the inclined uprights



The tables from the MODUL 5000 programme have an adjustable height of 720-1070 mm: manually at 50 mm increments, or infinitely with a crank or electric motor!

MODUL 5000


Special features at a glance:

- An exceptional and ergonomic design that has received international awards.
- Can be quickly and easily adapted to accommodate personal requirements for working seated or standing up. The working level can also be adjusted as required with a crank mechanism or electric motor.
- The modular system can be expanded and adapted for new requirements whenever necessary with elements from the extensive range of accessories. This assures you long-term security for your investment.
- Also available in combination with an integrated scale and roller track.
- With MODUL 5000, we and our distribution partners can also offer you custom solutions for your own requirements.



Alongside high quality standards, being located in Germany also means that we can guarantee short delivery times and efficiently supply accessories and spare parts.

Basic MODUL 5000



- MODUL 5000 packing and work table**
- Base frame and table support arms made of 100 x 40 mm tubular steel
 - 38 mm table top, height adjustable at 50 mm intervals (720-1070 mm)
 - Laminated with light grey plastic, with non-reflecting surface and rounded edges
 - Max. surface load 200 kg

| Order no. | W x D x H (mm) |
|-----------|--------------------|
| 503000 | 2000 x 1040 x 1330 |



- MODUL 5000 packing and work table**
- Base frame and table support arms made of 100 x 40 mm tubular steel
 - 38 mm table top, height can be adjusted using insertable crank (720-1070 mm)
 - Laminated with light grey plastic, with non-reflecting surface and rounded edges
 - Max. surface load 200 kg

| Order no. | W x D x H (mm) |
|-----------|--------------------|
| 503500 | 2000 x 1040 x 1330 |




- MODUL 5000 packing and work table**
- Pushbutton-controlled, infinitely variable height adjustment 720-1070 mm, with cable duct
 - Max. load when adjusting 100 kg
 - Electrical connection 230 V, 50 Hz
 - Max. surface load 200 kg

| Order no. | W x D x H (mm) |
|-----------|--------------------|
| 503800 | 2000 x 1040 x 1330 |




- Packing and work table with scale**
- With integrated calibrating digital carton scale
 - For max. 60 kg, incl. PC interface
 - Scale division 20g
 - Stainless steel platform
 - With separate display unit

| Order no. | W x D x H (mm) |
|---|--------------------|
| 503042 Height adjustment at 50 mm intervals 770-1120 mm | 2000 x 1040 x 1330 |
| 503552 Height adjustment with crank 770-1120 mm | 2000 x 1040 x 1330 |
| 503842 Electric height adjustment: 770-1120 mm | 2000 x 1040 x 1330 |




- Roller track table with work surface**
- Height adjustment at 50 mm intervals (770-1070)
 - Packing table with integrated roller track
 - Roller width 600 mm
 - Work surface 1955 x 251 mm
 - Made of galvanised sheet steel
 - Design as for table 503000
 - Compatible with accessories for MODUL 5000

| Order no. | W x D x H (mm) |
|---|--------------------|
| 503010 Height adjustment at 50 mm intervals 770-1120 mm | 1955 x 1040 x 1330 |
| 503510 Height adjustment with crank 770-1120 mm | 1955 x 1040 x 1330 |
| 503810 Electric height adjustment: 770-1120 mm | 1955 x 1040 x 1330 |




- Roller track table with work surface**
- With integrated digital carton scale for max. 60 kg, calibrated
 - With separate display unit
 - Supplied with interface cable
 - Work surface 1955 x 251 mm, made of galvanised steel
 - Roller width 600 mm, spacing 75 mm, diameter 50 mm
 - Base frame and table support arms made of 100 x 40 mm tubular steel

| Order no. | W x D x H (mm) |
|---|--------------------|
| 503012 Height adjustment at 50 mm intervals 770-1120 mm | 1955 x 1040 x 1330 |
| 503512 Height adjustment with crank 770-1120 mm | 1955 x 1040 x 1330 |
| 503812 Electric height adjustment: 770-1120 mm | 1955 x 1040 x 1330 |



End stop for roller track


| Order no. | W x D x H (mm) |
|-----------|----------------|
| 203541 | 600 x 10 x 100 |



- Equipment stand**
- Adjustable height 570-1070 mm
 - Height adjustment at 50 mm intervals
 - 38 mm table top
 - Max. load capacity 100 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 5090 | 800 x 840 x 1330 |

Accessories above the table
MODUL 5000



- Uprights**
- For attachment to the top table extensions
 - With perforations for attaching various shelves
 - Different levels
 - Weight 8 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 5064 | 40 x 95 x 950 |



- Storage shelf**
- For packing materials, forms, etc.
 - For attachment in the perforations in the top upright
 - Max. surface load 70 kg
 - Steel frame with shelf
 - Weight 18 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 505000 | 1705 x 400 |




- Storage shelf**
- For mounting on tubular cross members
 - Max. surface load 50 kg
 - Weight 17 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 5051 | 1705 x 295 |



- Add-on storage rack**
- With 9 steel wire dividers
 - For attachment at varying heights in the perforations of the top upright
 - Max. surface load 100 kg
 - Space for approx. 160 folding cartons
 - Weight 28 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 505300 | 1705 x 550 x 40 |



- Bracket for scale display unit**
- For mounting on tubular cross members
 - Weight 1 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 5091 | 120 x 92 x 42 |



- Workplace lighting**
- For mounting under storage rack (505300)
 - LED with dimming function


| Order no. | W x D x H (mm) |
|---|-------------------------------|
| 207003 | 976 x 51 x 54 32W 1409 LUX |
| 207004 | 661 x 51 x 54 21W 903 LUX |
| 507001 Holder for attaching the workplace lighting | 1720 x 40 x 40 |

Accessories on and underneath the table
MODUL 5000




- Backboard**
- For rear confinement on the table top
 - Material as for table top 503000
 - Simple clamp attachment to the rear edge
 - Weight 4 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 5060 | 1705 x 85 |




- Cable duct**
- With screw-mounted cover and flexible plastic cable guide
 - Only for table 503000
 - Not for use with article 5035xx

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 5075 | 1680 x 155 x 185 |




- Lockable drawer**
- For use on right and left underneath table
 - Plastic guide rail with drawer stop
 - Load capacity 20 kg
 - Weight 8 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 5006 | 475 x 570 x 100 |



- Undertable storage rack, short**
- Mobile and lockable
 - 6 steel wire dividers
 - Space for approx. 100 folding cartons
 - Max. surface load 50 kg
 - Weight 20 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 5042 | 1110 x 550 x 480 |




- Undertable storage rack, long**
- Mobile and lockable
 - 9 steel wire dividers
 - For approx. 160 folding cartons
 - Max. surface load 50 kg
 - Weight 32 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 5043 | 1705 x 550 x 480 |



- Bottom shelf**
- Mobile with 4 lockable castors
 - Max. surface load 50 kg
 - Weight 33 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 5009 | 1600 x 700 x 100 |



- Container with drawer**
- Mobile and lockable
 - Drawer with lock and stopper
 - For waste disposal
 - Load capacity of container: 40 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 5008 | 555 x 760 x 665 |

IT accessories
MODUL 5000



- TFT support carriage**
- For flexible attachment of a TFT monitor to the support column
 - Load capacity 12 kg
 - Weight 1 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 509202 | 100 x 125 x 115 |



- Keyboard and mouse platform with folding arm**
- For flexible attachment to the supporting column or adapter
 - Shelf size: 640 x 172 mm
 - Load capacity 10 kg
 - Weight 1 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 509201 | 640 x 728 x 120 |




- TFT folding arms**
- For flexible attachment of a TFT monitor
 - VESA 75/100 quick-release attachment

| Order no. | W x D x H (mm) |
|-------------------------------|---------------------------------------|
| 509203 Load capacity 5 kg | 100 x 455 x 115 Weight 1.6 kg |
| 509204 Load capacity 15 kg | 100 x 455 x 200 Weight 2.1 kg |
| 509207 Load capacity 8 kg | 100 x 455 x 200 branch (456-704mm) |




- Support column with screw clamp**
- For attaching a TFT folding arm and a keyboard tray
 - Aluminium profile with clamp attachment

| Order no. | W x D x H (mm) |
|-------------------------------------|--------------------------------|
| 509001 Clamping range (mm) 14-40 | 51 x 51 x 445 Weight 1.5 kg |
| 509002 Clamping range 5-65 mm | 51 x 51 x 445 Weight 2 kg |



- Keyboard tray**
- Adjustable slanting tray with non-slip rubber coating
 - For attachment to storage shelf 5050/5051 or multi-purpose tray 5081
 - Weight 8 kg

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 5085 | 420 x 570 |



- Multi-purpose tray**
- For mounting on tubular cross members
 - Load capacity 15 kg
 - Weight 3 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 5081 | 315 x 240 x 130 |



- 4-socket outlet**
- Incl. 2.90 m connecting cable
 - Weight 1 kg


| Order no. | W x D x H (mm) |
|-----------|----------------|
| 5074 | 61 x 45 x 304 |

Ergonomic accessories and lifting aids
SYSTEM 1600, SYSTEM 2000




- Ergonomic workplace mat**
- Protects the joints and spinal discs
 - Bevelled edges for less risk of tripping
 - Anti-slip surface

| Order no. | W x D x H (mm) |
|-----------------------|----------------------------------|
| 600004 Dry version | 1350 x 1000 x 16 Weight 19 kg |
| 600005 Wet version | 1350 x 1000 x 16 Weight 18 kg |



- Ergonomic workplace mat**
- Protects the joints and spinal discs
 - Bevelled edges for less risk of tripping
 - Anti-slip surface

| Order no. | W x D x H (mm) |
|------------------------------|--------------------------------|
| 600014 Basic slim version | 1000 x 650 x 10 Weight 6 kg |
| 600015 Basic grip version | 1000 x 650 x 13 Weight 7 kg |



- Ergonomic workplace mat**
- Puzzle joint
 - Protects the joints and spinal discs
 - Bevelled edges for less risk of tripping
 - Anti-slip surface

| Order no. | W x D x H (mm) |
|----------------------------|----------------------------------|
| 600007 Puzzle variant D | 1300 x 1000 x 16 Weight 30 kg |
| 600009 Puzzle variant E | 1240 x 1000 x 16 Weight 15 kg |



- ErgoPlus 3000 standing aid**
- Incl. foot rest
 - Infinite adjustment of the seat cushion
 - Collapsible
 - Weight 12 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 519192 | 670 x 500 x 1100 |



- Saddle stool**
- Ergonomic saddle seat
 - Seat tilt adjustment
 - Adjustment range 630-890 mm
 - Weight 10 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 852086 | 478 x 445 x 660 |



- Footrest**
- With inclined tread surface

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 5185 | 470 x 370 x 120 |



- Footrest**
- Variable height 110-320 mm
 - Moveable plastic tread plate
 - Adjustable angle: 0°-30°
 - Weight 7 kg

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 852038 | 520 x 375 x 140 |



- Packing and order picking trolley**
- Height adjustment with gas pressure cylinder
 - Max. load capacity 30 kg
 - Weight 52 kg

| Order no. | W x D x H (mm) |
|-----------|---------------------|
| 209040 | 680 x 870 x 670-960 |



- Pneumatic lift table**
- Allows effortless lifting and lowering of heavy cartons
 - Requires 6 bar compressed air supply
 - 250 mm lift height
 - Max. load capacity 60 kg
 - Weight 50 kg

| Order no. | W x D x H (mm) |
|-----------|---------------------|
| 209100 | 600 x 600 x 500-710 |



- Pneumatic lift table, stainless steel platform**
- Stainless steel platform WxD 450 x 600 mm
 - Lift height 500 mm
 - Incl. foot switch
 - Table prepared for bolting to floor
 - Mounting materials not included
 - Requires 6 bar compressed air supply
 - Max. load capacity 60 kg


| Order no. | W x D x H (mm) |
|----------------------------------|------------------|
| 209101 Lift height 200-700 mm | 450 x 735 x 1275 |
| 209102 Lift height 200-900 mm | 450 x 735 x 1675 |



- Pneumatic lift table, stainless steel platform**
- Stainless steel platform WxD 450 x 600 mm
 - Lift height 500 mm resp. 700 mm
 - Incl. foot switch
 - Table with pedestal base
 - Requires 6 bar compressed air supply
 - Max. load capacity 60 kg

| Order no. | W x D x H (mm) |
|----------------------------------|------------------|
| 209103 Lift height 250-750 mm | 450 x 845 x 1320 |
| 209104 Lift height 250-950 mm | 450 x 840 x 1720 |

Other accessories MODUL 5000



- Cut-resistant overlay**
- Transparent
 - For traceless cuts
 - Surface with slight anti-slip effect

| Order no. | W x D x H (mm) |
|-----------|------------------------------|
| 509400 | 900 x 600 x 3 Weight 2 kg |



- Cut-resistant overlay**
- Protects parts of the worktop against damage from mechanical strain
 - Bonded to worktop with the supplied adhesive pads

| Order no. | W x D x H (mm) |
|----------------------------------|--------------------------------|
| 203095 Stainless steel | 1000 x 800 x 2 Weight 13 kg |
| 203096 Galvanised sheet steel | 1000 x 800 x 2 Weight 12 kg |



- Waste container made of PP cavity sheeting**
- Mould and moisture-proof
 - For hygienic applications, no fibre formation on the surface
 - Shock-absorbing
 - Set = 2 pcs.

| Order no. | W x D x H (mm) |
|-----------|-----------------|
| 2056 | 600 x 500 x 600 |



- Slice - Auto-Retractable Box Cutter**
- Incl. one double-sided ceramic blade
 - Automatically retractable blade
 - 8-10 times sharper than a steel blade
 - Easy blade change
 - Injury-proof handling

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 99090238 | |



- Solo Lift Pro carry aid**
- Practical, single-handed lifting aid for small, light boxes

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 99090233 | |



- Dual Lift Pro carry aid**
- With 2 belt pouches
 - Safe lifting of large and heavy cartons through effective load distribution

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 99090234 | |



- Display panel holder with magnetic attachment**
- Display panel holder with 5 display panels, black
 - Metal wall holder with magnetic back

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 591401 | |



- Display panel holder as table stand-up display**
- Complete set made of powder-coated steel for table top use
 - L-shaped, metal table stand-up display with 10 display panels, assorted colours

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 557000 | |



- A4 display panel**
- 5 display panels
 - Polypropylene display panels with black all-round profile frame
 - For DIN A4 info sheets

| Order no. | W x D x H (mm) |
|-----------|----------------|
| 560601 | |



Mobile hanging frame

- 360° swivel mounting

| Order no. | W x D x H (mm) |
|--|--|
| 2046 | 1050 x 700 x 2100-3500 Weight 45 kg |
| 802045 Extension strut with bracket | Weight 2 kg |



Mobile cardboard storage rack

- Two levels
- With handle

| Order no. | W x D x H (mm) |
|--|-----------------------------------|
| 2042-2 Cardboard storage rack, short For approx. 200 folding cartons | 1015 x 600 x 1260 Weight 42 kg |
| 2043-2 Cardboard storage rack, long, For approx. 320 folding cartons | 1600 x 600 x 1260 Weight 58 kg |



Mobile cardboard storage rack

- Three levels
- With handle

| Order no. | W x D x H (mm) |
|--|-----------------------------------|
| 2042-3 Cardboard storage rack, short For approx. 300 folding cartons | 1015 x 600 x 1860 Weight 64 kg |
| 2043-3 Cardboard storage rack, long, For approx. 480 folding cartons | 1600 x 600 x 1860 Weight 88 kg |

MODUL 5100 MODUL 5200

 **QUALITY
MADE
IN GERMANY**



Whether as a QM station, workshop trolley, standing workplace or mobile information stand, these two systems are extremely versatile just like all our other products. The mobile version is delivered with 4 castors (2 lockable).

Basic
MODUL 5100



- Standing/seating workplace, complete**
- Comprising:
Standing table, max. load capacity 200 kg
Storage shelf, top, max. load capacity 50 kg
Drawer, load capacity 20 kg
Storage shelf, bottom, max. load capacity 50 kg
Multi-purpose shelf, load capacity 15 kg
Runners
 - Weight 85 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 510010 | 800 x 750 x 1330 |



- ErgoPlus 3000 standing aid**
- With infinite adjustment of the backrest and seat cushion 600-900 mm
 - Collapsible
 - Weight 10 kg
 - max. load 110 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 519192 | 670 x 500 x 1100 |

Basic
MODUL 5200



- Standing workplace / QM station**
- With information board
 - Metal shelf and tray for small utensils
 - Max. surface load of shelf 50 kg
 - Load capacity of drawer 35 kg
 - Weight 53 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 531003 | 670 x 650 x 1765 |



- Standing workplace / QM station**
- With information board
 - Metal shelf and drawer for suspension files
 - Max. surface load of shelf 50 kg
 - Load capacity of drawer 35 kg
 - Weight 53 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 531004 | 670 x 650 x 1765 |



- Standing workplace / QM station**
- With information board
 - Metal shelf and filing cabinet
 - Max. surface load of shelf 50 kg
 - Load capacity of cabinet 35 kg
 - Weight 46 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 531005 | 670 x 650 x 1765 |



- Standing workplace / QM station**
- With information board
 - Metal shelf and tray for small utensils
 - Max. surface load of shelf 50 kg
 - Load capacity of drawer 35 kg
 - Weight 65 kg

| Order no. | W x D x H (mm) |
|-----------|-------------------|
| 531007 | 1050 x 650 x 1765 |



- Standing workplace / QM station**
- Wide with table top
 - Metal shelf and information board
 - Max. surface load per drawer 50 kg
 - Weight 51 kg

| Order no. | W x D x H (mm) |
|-----------|-------------------|
| 531001 | 1050 x 650 x 1765 |



- Standing workplace / QM station**
- Narrow with whiteboard incl. pen set
 - Metal shelf and filing cabinet
 - Max. surface load of shelf 50 kg
 - Load capacity of cabinet 35 kg
 - Weight 46 kg

| Order no. | W x D x H (mm) |
|-----------|------------------|
| 531009 | 670 x 650 x 1765 |



- Mobile packing station**
- Narrow, mobile, two-sided
 - With wide wooden shelf, metal shelf and add-on storage rack

| Order no. | W x D x H (mm) |
|---|--------------------|
| 531010N | 1050 x 1060 x 1800 |
| 527109 VESA 75/100 holder for TFT monitor | 610 x 282 |

Cutting systems

For better cutting results


Choose from our proven and tested cutting systems with dispenser for roll material (such as paper, cardboard or foil) for use either as a stand-alone cutting station or right next to the packing workplace. The machinery quickly pays for itself since roll material is cheaper than cuttings. Not only that, but it also makes the dangerous and time-consuming handling of knives and scissors superfluous.

We supply two cutter cartridges - as standard!



 **QUALITY
MADE
IN GERMANY**



 The cutter cartridges can be exchanged without any effort. The round cutter for paper, cardboard, etc., the blade for all soft foil. A clamping mechanism allows comfortable insertion of the material and safe holding after every cut.

Cutter stand, horizontal

Diameter of the axle tube for all articles 32 mm



Cutter stand, horizontal

- Dispensing height 890 mm
- Max. roll weight 200 kg
- Max. roll Ø 1000 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|-------------------|
| 55307 | 750 | 1090 x 970 x 1060 |
| 55310 | 1000 | 1340 |
| 55312 | 1250 | 1590 |
| 55316 | 1600 | 1940 |



Dual cutter stand

- Dispensing height 890/1215 mm
- Max. weight per roll 150 kg
- Max. roll Ø 750 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|-------------------|
| 55407 | 750 | 1090 x 970 x 1060 |
| 55410 | 1000 | 1340 |
| 55412 | 1250 | 1590 |
| 55416 | 1600 | 1940 |



Undertable cutter

- Mobile
- Dispensing height 580 mm
- Max. roll weight: 200 kg
- Max. roll Ø 750 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|------------------|
| 25507 | 750 | 1000 x 880 x 740 |
| 25510 | 1000 | 1250 |
| 25512 | 1250 | 1500 |
| 25516 | 1600 | 1850 |



Cutter stand, horizontal

- For light rolls
- Infinitely adjustable dispensing height
- Max. roll weight 100 kg
- Max. roll Ø 800 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|-------------------|
| 26207N | 750 | 1120 x 850 x 1165 |
| 26210N | 1000 | 1370 |
| 26212N | 1250 | 1620 |
| 26216N | 1600 | 1970 |
| 26218N | 1800 | 2170 |
| 26220N | 2000 | 2370 |



Cutter stand, for 2 rolls

- For light rolls
- Infinitely adjustable dispensing height
- With one cutter
- Max. total roll weight 130 kg
- Max. roll Ø 800 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|-------------------|
| 26507 | 750 | 1120 x 850 x 1665 |
| 26510 | 1000 | 1370 |
| 26512 | 1250 | 1620 |
| 26516 | 1600 | 1970 |
| 26518 | 1800 | 2170 |
| 26520 | 2000 | 2370 |



Dual cutter stands

- For light rolls
- Infinitely adjustable dispensing height
- With two cutters
- Max. total roll weight 130 kg
- Max. roll Ø 800 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|-------------------|
| 26407 | 750 | 1120 x 850 x 1665 |
| 26410 | 1000 | 1370 |
| 26412 | 1250 | 1620 |
| 26416 | 1600 | 1970 |
| 26418 | 1800 | 2170 |
| 26420 | 2000 | 2370 |



Undertable cutter, mobile

- Dispensing height 544 mm
- Max. roll weight 200 kg
- Max. roll Ø 750 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|------------------|
| 55507 | 750 | 1090 x 970 x 810 |
| 55510 | 1000 | 1340 |
| 55512 | 1250 | 1590 |
| 55516 | 1600 | 1940 |

Cutters, wall-mounted and table version



1. **Wall-mounted cutter:**
- Spindle Ø 32 mm
 - Max. roll weight: 80 kg
 - Max. roll Ø: 250 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|------------------|
| 25907 | 750 | 1000 x 400 x 430 |
| 25910 | 1000 | 1250 |
| 25912 | 1250 | 1500 |
| 25916 | 1600 | 1850 |

- Wall-mounted cutter:**
- Spindle Ø 32 mm
 - Max. roll weight: 200 kg
 - Max. roll Ø: 500 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|------------------|
| 26007 | 750 | 1000 x 670 x 570 |
| 26010 | 1000 | 1250 |
| 26012 | 1250 | 1500 |
| 26016 | 1600 | 1850 |



2. **Table top cutter:**
- Spindle Ø 32 mm
 - Max. roll weight: 80 kg
 - Max. roll Ø: 250 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|------------------|
| 25607 | 750 | 1000 x 360 x 350 |
| 25610 | 1000 | 1250 |
| 25612 | 1250 | 1500 |
| 25616 | 1600 | 1850 |

- Table top cutter:**
- Spindle Ø 32 mm
 - Max. roll weight: 200 kg
 - Max. roll Ø: 500 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|------------------|
| 25707 | 750 | 1000 x 600 x 470 |
| 25710 | 1000 | 1250 |
| 25712 | 1250 | 1500 |
| 25716 | 1600 | 1850 |

Cutter stand, vertical



1. **Cutter stand, vertical**
- Max. roll weight: 200 kg
 - Max. roll Ø 450 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|------------------|
| 35010 | 1000 | 480 x 580 x 1300 |
| 35012 | 1250 | 1550 |
| 35016 | 1600 | 1900 |



2. **Cutter stand, vertical**
- Max. roll weight: 200 kg
 - Max. roll Ø 800 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|------------------|
| 35110 | 1000 | 800 x 880 x 1300 |
| 35112 | 1250 | 1550 |
| 35116 | 1600 | 1900 |
| 35118 | 1800 | 2100 |
| 35120 | 2000 | 2300 |

Roll dispensers and add-on cutter



1. **Mobile roll dispenser**
- Max. roll weight: 200 kg
 - Max. roll Ø 750 mm

| Order no. | Roll width mm | W x D x H (mm) |
|-----------|---------------|------------------|
| 53107 | 750 | 1090 x 770 x 680 |
| 53110 | 1000 | 1340 |
| 53112 | 1250 | 1590 |



2. **Mobile roll dispenser**
- Max. roll weight: 200 kg
 - Max. roll Ø 750 mm

| Order no. | Roll width mm | W x D x H (mm) |
|-----------|---------------|------------------|
| 23207 | 750 | 1000 x 840 x 500 |
| 23210 | 1000 | 1250 |
| 23212 | 1250 | 1500 |




3. **Mobile roll dispenser**
- Max. roll weight: 200 kg
 - Max. roll Ø 500 mm

| Order no. | Roll width mm | W x D x H (mm) |
|-----------|---------------|------------------|
| 23107 | 750 | 1000 x 600 x 400 |
| 23110 | 1000 | 1250 |
| 23112 | 1250 | 1500 |



4. **Add-on cutter**
- Max. clamping range 70 mm
 - Suitable for SYSTEM 2000 and 503000

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|------------------|
| 55107 | 750 | 1033 x 250 x 280 |
| 55110 | 1000 | 1283 |
| 55112 | 1250 | 1533 |
| 55116 | 1600 | 1883 |



5. **Bearing shells for roll spindles**
- For undertable installation SYSTEM 2000
 - Horizontal
 - Weight 0.5 kg

| Order no. | W x D x H (mm) | RRP |
|-----------|----------------|------------|
| 23800 | | 26,39 Euro |



6. **Spindle set, complete**
- Spindle tube diameter 32 mm, for roll widths up to 1600 mm
 - 1 pair of cones for core diameters 50 - 85 mm
 - 4 clamp rings for adjusting the roll
 - Incl. for tables with a clear width of 1640 mm
 - Weight 3 kg

| Order no. | W x D x H (mm) | RRP |
|-----------|----------------|------------|
| 23900 | 1850 x 32 mm Ø | 50,34 Euro |

Cutter stand accessories



Metre counter

- Suitable for cutter stands 262, 264, 265, 553, 554

| Order no. | Roll width mm | W x D x H (mm) |
|-----------|---------------|------------------|
| 256075 | 750 | 1000 x 155 x 155 |
| 256100 | 1000 | 1250 |
| 256125 | 1250 | 1500 |
| 256160 | 1600 | 1850 |
| 256180 | 1800 | 2050 |
| 256200 | 2000 | 2250 |



Roll stand with tear-off mechanism

- For pre-perforated material
- Castors not included
- Max. roll weight 100 kg
- Max. roll Ø 800 mm

| Order no. | Roll width mm | W x D x H (mm) |
|-----------|---------------|-------------------|
| 26207 AV | 750 | 1120 x 920 x 1165 |
| 26210 AV | 1000 | 1370 |
| 26212 AV | 1250 | 1620 |
| 26216 AV | 1600 | 1970 |
| 26218 AV | 1800 | 2170 |
| 26220 AV | 2000 | 2370 |



Add-on winding unit

- Incl. hand crank
- Spindle and cones for core diameters 46 - 60 mm

| Order no. | Suitable for |
|-----------|------------------------|
| 252507 | 26207N / 26407 / 26507 |
| 252510 | 26210N / 26410 / 26510 |
| 252512 | 26212N / 26412 / 26512 |
| 252516 | 26216N / 26416 / 26516 |
| 252518 | 26218N / 26418 / 26518 |
| 252520 | 26220N / 26420 / 26520 |



Roll runners for devices 553...

- With 4 castors, 2 of which are lockable

| Order no. | W x D x H (mm) |
|---|-------------------------------|
| 5554 roll runners for devices 553... Load capacity per roll 75 kg | 52 x 650 x 100 Weight 3 kg |
| 23601 Castors for devices 262..., 265..., 264... With 4 castors, 2 of which are lockable Load capacity per roll 70 kg | Weight 1 kg |

Pneumatic cutter

The pneumatically powered cutter is used solely for cutting packing materials such as paper, tissue paper, kraft paper, corrugated cardboard, anti-rust paper, soft flat film, foam sheets, air bubble film, tubular film, etc. Foam sheets can have a maximum thickness of 6 mm, air bubble film 10 mm. Special and kraft paper with a grammage of more than 180 g/m² have to be tested for their cutting suitability. This also applies for flat and tubular film with a thickness of over 0.2 mm.



- Safe usage and ergonomic handling, especially for large cutting widths
- Consistent cutting quality
- Low fatigue, even for greater volumes, practicable for large widths (up to 1600 mm cutting width)



Pneumatic cutter stand, horizontal

- Compressed air connection 6 bar (max.)
- Max. roll weight: 200 kg
- Max. roll Ø 750 mm

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|-------------------|
| 57310 | 1000 | 1730 x 970 x 1060 |
| 57312 | 1250 | 1980 |
| 57316 | 1600 | 2330 |



Pneumatic add-on cutter

- For rear edge of table
- Max. clamping range 70 mm
- 57112 is only suitable for 203000

| Order no. | Cutting width mm | W x D x H (mm) |
|-----------|------------------|------------------|
| 57112 | 1250 | 1980 x 235 x 200 |



The cutting speed is adjustable. Approx. 1.5 m/sec (factory setting)

ZA 630 automatic cutting

The cutting machine ZA 630 is the latest development for flexible cuttings from a variety of different materials such as foil, paper, corrugated cardboard or foam. The precision-guided cutting carriage and the contact pressure accomplished by rubber lips compensate uneven materials. Therefore, a high cutting accuracy can be achieved.






 **QUALITY
MADE
IN GERMANY**

Features:

- Touch-screen operator terminal (2), plain and clear operator guidance and completely reworked service menu
- Low sound emission figures due to encapsulation of individual components and modern means of storage technology
- High level of machine availability due to short set-up and service periods
- Electronically controlled feed rate plus slip compensation
- Circular knife and blade
- End-of-material control
- Please feel free to contact us about additional options and individual modifications!



The two-sided hold-down bar allows the processing of many different materials.
Send us your test samples!



Special features at a glance:



FLEXIBLE

The ZA 630 automatic cutting machine enables you to cut roll material in the quantity and size you require.



FAST

You can save frequently used size and quantity options and select them at the push of button, for convenient operation. State-of-the-art controls from Siemens equip the ZA 630 with the latest electronic technology.



COST-EFFECTIVE

You buy inexpensive roll material instead of expensive pre-cut pieces. This eliminates the need to store different sized materials because you simply cut according to your needs.



MODULAR

The machine's modular design assures long-term security for your investment. It can be adapted, adjusted and refit to accommodate changing requirements, whenever necessary.



 **QUALITÄT
MADE
IN GERMANY**

Our production site in Germany not only guarantees high quality standards but also ensures short delivery times and an efficient and smooth supply of accessories and spare parts.

TRANSPORTING SYSTEMS



TRANSPORTING SYSTEMS



- Warehouse trolley with handlebar**
- high-quality load area made of multiplex wood
 - wheels: 2 swivel castors and 2 fixed castors
 - TPE-tyres, 125 mm diameter, fitted on plastic rims

| Order no. | load area | load capacity |
|-----------|-------------|---------------|
| 600300 | 850x500 mm | 300 kg |
| 600301 | 1000x600 mm | 300 kg |



- Platform trolley with handlebar**
- high-quality load area made of multiplex wood
 - wheels: 2 swivel castors and 2 fixed castors
 - TPE-tyres, 125 mm diameter, fitted on plastic rims

| Order no. | load area | load capacity |
|-----------|-------------|---------------|
| 600302 | 850x500 mm | 500 kg |
| 600303 | 1000x600 mm | 600 kg |
| 600304 | 1000x700 mm | 600 kg |
| 600305 | 1200x800 mm | 600 kg |



- Platform trolley with mesh front panel**
- high-quality load area made of multiplex wood
 - wheels: 2 swivel castors and 2 fixed castors
 - TPE-tyres, 125 mm diameter, fitted on plastic rims

| Order no. | load area | load capacity |
|-----------|-------------|---------------|
| 600306 | 850x500 mm | 500 kg |
| 600307 | 1000x600 mm | 600 kg |
| 600308 | 1000x700 mm | 600 kg |
| 600309 | 1200x800 mm | 600 kg |



- Shelf trolley**
- high-quality load area made of multiplex wood
 - wheels: 2 swivel castors and 2 fixed castors
 - TPE-tyres, 125 mm diameter, fitted on plastic rims

| Order no. | 4 load areas | load capacity |
|-----------|--------------|---------------|
| 600310 | 850x500 mm | 500 kg |
| 600311 | 1000x600 mm | 600 kg |
| 600312 | 1000x700 mm | 600 kg |
| 600313 | 1200x800 mm | 600 kg |



- Shelf trolley with two galvanised mesh panels**
- high-quality load area made of multiplex wood
 - wheels: 2 swivel castors and 2 fixed castors
 - TPE-tyres, 125 mm diameter, fitted on plastic rims

| Order no. | 4 load areas | load capacity |
|-----------|--------------|---------------|
| 600314 | 850x500 mm | 500 kg |
| 600315 | 1000x600 mm | 600 kg |
| 600316 | 1000x700 mm | 600 kg |
| 600317 | 1200x800 mm | 600 kg |



- Parcel trolley**
- high-quality load area made of multiplex wood
 - wheels: 2 swivel castors and 2 fixed castors
 - TPE-tyres, 125 mm diameter, fitted on plastic rims


| Order no. | load area | load capacity |
|-----------|-------------|---------------|
| 600318 | 850x500 mm | 500 kg |
| 600319 | 1000x600 mm | 600 kg |
| 600320 | 1000x700 mm | 600 kg |
| 600321 | 1200x800 mm | 600 kg |



All of our transporting devices are characterised by their functionality and longevity. They are perfectly suited to supplement your logistics workplace effectively. Handlebars in RAL 3003.

Assistance and documentation systems

AssisTable



AssisTable is a digital work catalogue that assists users in picking and packing processes. Work steps are impacted by different factors; therefore, there are certain specifications as to how the item should be packed or processed and which documents should be added, depending on the supplier, destination country and/or certain item properties. The individual steps are shown in short form and with images. At the same time an integrated quality report records the factually performed activities and quantities. In this way, data is generated that can be used, for instance, for a billing model or for forward-looking capacity planning. The user-friendly interface ensures that the system can be used and work catalogues can be generated or updated after a short period of familiarisation and without broad IT-knowledge. Depending on requirements and intended purpose, the system can naturally be adapted individually.

- Economical added-value service
- Self-determined work in spite of product individualisation and large variety
- Server-based system that can be operated location-independently
- Automatic generation of economic indicators via digitalisation

InspectTable



InspectTable allows you to identify deviations and errors at an early stage – before the goods arrive with the customer. The image-based system compares the given situation with the pre-fed target situation and can analyse individual articles and their layers or positions as well as the entire picture. Machine Learning not only enables distinguishing between correct and false, but, depending on the intended application, also viewing percentage detection data and feeding individual groups into the system. The system is characterised by the ability to adapt flexibly to different working conditions and requirements; furthermore, there is no need for broad IT-knowledge as the set-up is so simple.

- Zero-fault-production due to optical monitoring
- Flexible system that only needs to be pre-trained once for a particular application
- Self-learning system that develops continuously with each task
- Optional maintenance service


DocumenTable




| Order no. | article description |
|--------------------------|--|
| 73801201 gentian blue | DocumenTable camera left, W x D: 1000 x 400 mm |
| 73801101 gentian blue | DocumenTable camera left, W x D: 800 x 400 mm |
| 73800200 ruby red | DocumenTable camera left, W x D: 1000 x 400 mm |
| 73800100 ruby red | DocumenTable camera left, W x D: 800 x 400 mm |
| 73800401 gentian blue | DocumenTable camera right, W x D: 1000 x 400 mm |
| 73800301 gentian blue | DocumenTable camera right, W x D: 800 x 400 mm |
| 73800400 ruby red | DocumenTable camera right, W x D: 1000 x 400 mm |
| 73800300 ruby red | DocumenTable camera right, W x D: 800 x 400 mm |

DocumenTable enables you to take photos for documentation right at your logistics table in your dispatch or incoming goods department. The first step is to scan the delivery note number with the integrated scanner; this activates the system. As soon as the packet (or one layer in the packet) is readily packed, you can trigger the camera by operating the foot-activated switch. The images are automatically named with the delivery note number and a date and time stamp (exact to the second); this assigns them clearly and uniquely. The generated data is saved to the integrated storage (standard: 25 GB) and can be retrieved over the corresponding network. An integrated and clearly visible LED strip shows the system status at any given time. Other distinct indicators for scanning, such as order number, packet number or customer number, can also be used as identifiers for images. The corresponding shelf for SYSTEM FLEX is fully equipped, readily installed and merely needs to be connected to your power supply and IT-network. Depending on the application situation, the system can be operated over a manual button or a (wireless) scanner instead of over the foot-switch.

- Entire documentation of images or videos without broad IT-knowledge
- Distinct classification of stored data
- Transmission via LAN or WLAN into your own server structure, connection to your own ERP system possible
- All-on-one solution without follow-up costs




Hüdig + Rocholz

 **QUALITÄT
MADE
IN GERMANY**

We look forward to talking to you about your individual requirements. Together, we will find the best solution for you!

Notes

Sketches


A grid of small gray dots on a white background, resembling graph paper. The dots are arranged in a uniform 20x20 pattern, with each dot spaced evenly from its neighbors both horizontally and vertically. The dots are small, solid gray circles.

Product features


Comparison chart

| | BASIC | SYSTEM 1600 Complete station | SYSTEM 2000 | SYSTEM FLEX | MODUL 5000 |
|--|----------------|------------------------------|-----------------------------|----------------|------------|
| Table width 1200 | | | ● | ● | |
| Table width 1600 | ● | ● | ● | ● | |
| Table width 2000 | ● | | ● | ● | ● |
| Table depth | 800 | 800 | 920:S2000 800:S1200/1600 | 800 | 880 |
| Uprights for accessories, straight | ● | ● | ● | ● | |
| Uprights for ergonomically inclined | | | | ● | ● |
| Add-on elements fixed in centre of table | ● | ● | ● | ● | ● |
| Variably positionable add-on elements | | | | ● | |
| Variably angled add-on elements | | | | ● | |
| Adjustable height | | ● | ● | ● | ● |
| Height adjustment by crank | | ● | ● | | ● |
| Height adjustment by motor | | ● | ● | ● | ● |
| IGR certification „Ergonomic Product“ | | | | ● | |
| Ergonomic accessories | | ● | ● | ● | ● |
| Extensive range of accessories | | ● | ● | ● | ● |
| Matching cutters | ○ ¹ | ● | ● | ○ ² | ● |
| Simple conversion /adaptation | | | | ● | |

1 Limited selection
2 All SYSTEM 2000 and MODUL 5000 series cutters can be used.



You can convince yourself about the quality of our products at trade exhibitions (upcoming dates can be found on our website) or your local dealer. Of course, you can also visit our showroom together with your dealer. We look forward to seeing you!



Hüdig + Rocholz GmbH & Co. KG | Nevigeser Straße 240-242 | 42553 Velbert | Germany

25/19/04/08

We reserve the right to change dimensions, weights or colours, or to alter the designs. This catalogue is protected by copyright. Reproduction - even of extracts - is permissible only with the written consent of the publisher.

Illustrations partially show accessories and decorative materials which are not supplied. Please refer to the product description for the actual scope of delivery.

Illustrative material used in this catalogue:

istockphoto.com: 9283747; digital planet design - 9282058; digital planet design - 16080476; Johnny Greig - 19569525; 4x6 fotolia.de: 39846467; drubig-photo With the appreciated support of: Josef Blässinger GmbH + Co. KG, Banholzer und Wenz GmbH, TGW Logistik Group GmbH, Betriebseinrichtungen Lenz UG, myToys.de GmbH



Hüdig + Rocholz